

Package: concordance (via r-universe)

September 18, 2024

Type Package

Title Product Concordance

Version 2.1.0

Date 2023-01-16

Description A set of utilities for matching products in different classification codes used in international trade research. It supports concordance between the Harmonized System (HS0, HS1, HS2, HS3, HS4, HS5, HS6, HS combined), the Standard International Trade Classification (SITC1, SITC2, SITC3, SITC4), the North American Industry Classification System (NAICS 2002, 2007, 2012, 2017, combined), as well as the Broad Economic Categories (BEC4), the International Standard of Industrial Classification (ISIC2, ISIC3, ISIC3.1, ISIC4), and the Standard Industrial Classification (SIC). It also provides code nomenclature/descriptions look-up, product code look-up based on user-specified keywords, Rauch classification look-up (via concordance to SITC2), trade elasticity look-up (via concordance to HS0 or SITC3 codes), upstreamness/downstreamness look-up (via concordance to ISIC3 and NAICS codes), and intermediateness look-up (via product descriptions).

License MIT + file LICENSE

Depends R (>= 3.6.0)

Imports dplyr (>= 0.8.5), purrr (>= 0.3.3), rlang (>= 0.4.5), stringr (>= 1.4.0), tibble (>= 3.0.0), tidyr (>= 1.0.2)

LazyData true

LazyDataCompression xz

BugReports <https://github.com/insongkim/concordance/issues>

RoxygenNote 7.2.1

Encoding UTF-8

Repository <https://insongkim.r-universe.dev>

RemoteUrl <https://github.com/insongkim/concordance>

RemoteRef HEAD**RemoteSha** de8517e0fa2b6cd0de8c02bcb7ba4583cde76aa7**Contents**

bea2002_desc	5
bea2002_naics2002	6
bea2007_naics2007	7
bea2012_desc	7
bea2012_naics2012	8
bec4_desc	8
concord	9
concord_hs	11
concord_hs_bec	12
concord_hs_isic	14
concord_hs_naics	15
concord_hs_site	17
concord_isic	19
concord_isic_bec	21
concord_naics	22
concord_naics_bec	23
concord_naics_isic	25
concord_site	26
concord_site_bec	28
concord_site_isic	29
concord_site_naics	31
get_desc	33
get_intermediate	35
get_proddiff	36
get_product	38
get_sigma	39
get_upstream	41
hs0_bec4	43
hs0_desc	43
hs0_isic2	44
hs0_isic3	44
hs0_naics	45
hs0_site1	46
hs0_site2	46
hs0_site3	47
hs0_site4	48
hs1_bec4	48
hs1_desc	49
hs1_hs0	50
hs1_isic2	50
hs1_isic3	51
hs1_naics	52

hs1_site1	52
hs1_site2	53
hs1_site3	54
hs1_site4	54
hs2_bec4	55
hs2_desc	56
hs2_hs0	56
hs2_hs1	57
hs2_isic2	57
hs2_isic3	58
hs2_naics	59
hs2_site1	59
hs2_site2	60
hs2_site3	61
hs2_site4	61
hs3_bec4	62
hs3_desc	63
hs3_hs0	63
hs3_hs1	64
hs3_hs2	64
hs3_isic2	65
hs3_isic3	65
hs3_naics	66
hs3_site1	67
hs3_site2	67
hs3_site3	68
hs3_site4	69
hs4_bec4	69
hs4_desc	70
hs4_hs0	71
hs4_hs1	71
hs4_hs2	72
hs4_hs3	72
hs4_isic2	73
hs4_isic3	74
hs4_naics	74
hs4_site1	75
hs4_site2	76
hs4_site3	76
hs4_site4	77
hs5_bec4	78
hs5_desc	78
hs5_hs0	79
hs5_hs1	79
hs5_hs2	80
hs5_hs3	80
hs5_hs4	81
hs5_isic2	82

hs5_isic3	82
hs5_naics	83
hs5_site1	84
hs5_site2	84
hs5_site3	85
hs5_site4	86
hs6_bec4	86
hs6_desc	87
hs6_hs0	88
hs6_hs1	88
hs6_hs2	89
hs6_hs3	89
hs6_hs4	90
hs6_hs5	91
hs6_isic2	91
hs6_isic3	92
hs6_naics	93
hs6_site1	93
hs6_site2	94
hs6_site3	95
hs6_site4	95
hs_bec4	96
hs_desc	97
hs_isic2	97
hs_isic3	98
hs_isic31	98
hs_isic4	99
hs_naics	100
hs_site1	100
hs_site2	101
hs_site3	102
hs_site4	102
isic2_desc	103
isic3.1_desc	104
isic31_isic2	104
isic31_isic3	105
isic3_desc	105
isic3_isic2	106
isic4_desc	107
isic4_isic2	107
isic4_isic3	108
isic4_isic31	108
naics2002_desc	109
naics2002_isic31	110
naics2007_desc	110
naics2007_isic4	111
naics2007_naics2002	112
naics2012_desc	112

naics2012_isic4	113
naics2012_naics2002	114
naics2012_naics2007	114
naics2017_desc	115
naics2017_isic4	116
naics2017_naics2002	116
naics2017_naics2007	117
naics2017_naics2012	118
sigma_hs0	119
sigma_sitc3	119
site1_bec4	120
site1_desc	121
site1_naics	121
site2_bec4	122
site2_desc	123
site2_isic2	123
site2_naics	124
site2_rauch	125
site2_site1	125
site3_bec4	126
site3_desc	127
site3_isic3	127
site3_naics	128
site3_site1	129
site3_site2	129
site4_bec4	130
site4_desc	131
site4_naics	131
site4_site1	132
site4_site2	133
site4_site3	133
upstream	134
upstream_us_detailed	135
wiod_2013	136

Index **137**

bea2002_desc	<i>BEA Description for year 2002</i>
--------------	--------------------------------------

Description

A dataset containing the description of products under the BEA industry classification in 2002

Usage

bea2002_desc

Format

A data frame with 430 rows and 2 variables:

code BEA Code

desc BEA Description

Source

<https://www.bea.gov/industry/benchmark-input-output-data>

bea2002_naics2002	<i>BEA2002-NAICS2002 Concordance</i>
-------------------	--------------------------------------

Description

A dataset containing concordances between BEA2002 and NAICS2002 classification.

Usage

bea2002_naics2002

Format

A data frame with 1,335 rows and 6 variables:

BEA2002 6-digit BEA2002 Code

NAICS2002_6d 6-digit NAICS2002 Code

NAICS2002_5d 5-digit NAICS2002 Code

NAICS2002_4d 4-digit NAICS2002 Code

NAICS2002_3d 3-digit NAICS2002 Code

NAICS2002_2d 2-digit NAICS2002 Code

Source

<https://www.bea.gov/industry/benchmark-input-output-data>

bea2007_naics2007	<i>BEA2007-NAICS2007 Concordance</i>
-------------------	--------------------------------------

Description

A dataset containing concordances between BEA2007 and NAICS2007 classification.

Usage

bea2007_naics2007

Format

A data frame with 1,376 rows and 6 variables:

BEA2007 6-digit BEA2007 Code

NAICS2007_6d 6-digit NAICS2007 Code

NAICS2007_5d 5-digit NAICS2007 Code

NAICS2007_4d 4-digit NAICS2007 Code

NAICS2007_3d 3-digit NAICS2007 Code

NAICS2007_2d 2-digit NAICS2007 Code

Source

https://apps.bea.gov/iTable/index_industry_io.cfm

bea2012_desc	<i>BEA Description for year 2012</i>
--------------	--------------------------------------

Description

A dataset containing the description of products under the BEA industry classification in 2007 and 2012

Usage

bea2012_desc

Format

A data frame with 409 rows and 2 variables:

code BEA Code

desc BEA Description

Source

https://apps.bea.gov/iTable/index_industry_io.cfm

bea2012_naics2012	<i>BEA2012-NAICS2012 Concordance</i>
-------------------	--------------------------------------

Description

A dataset containing concordances between BEA2012 and NAICS2012 classification.

Usage

bea2012_naics2012

Format

A data frame with 1,376 rows and 6 variables:

BEA2012 6-digit BEA2012 Code

NAICS2012_6d 6-digit NAICS2012 Code

NAICS2012_5d 5-digit NAICS2012 Code

NAICS2012_4d 4-digit NAICS2012 Code

NAICS2012_3d 3-digit NAICS2012 Code

NAICS2012_2d 2-digit NAICS2012 Code

Source

https://apps.bea.gov/iTable/index_industry_io.cfm

bec4_desc	<i>BEC4 Description</i>
-----------	-------------------------

Description

A dataset containing the description of products under the BEC4 classification.

Usage

bec4_desc

Format

A data frame with 50 rows and 2 variables:

code BEC4 Code

desc BEC4 Description

Source

<https://comtrade.un.org/data/cache/classificationBEC.json>

concord

*Concording Different Classification Codes***Description**

Concords different classification codes used in international trade.

Usage

```
concord(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of industry/product codes to be converted.
origin	A string setting the input coding scheme. Currently supports: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS" (combined), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "NAICS" (combined), "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008), "BEC4" (2016).
destination	A string setting the output coding scheme. Currently supports: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS" (combined), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "NAICS" (combined), "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008), "BEC4" (2016).
dest.digit	An integer indicating the preferred number of digits for outputs. The default is 4 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Please include leading zeros in codes (e.g., use HS code 010110 instead of 10110). For BEC4 only, use original codes or add trailing zeroes if necessary (e.g., 7 or 700 instead of 007). Results may be buggy otherwise.

Source

Data consolidated from

- Pierce and Schott (2009, 2018) <<https://faculty.som.yale.edu/peterschott/international-trade-data/>>
- World Integrated Trade Solution (WITS), World Bank <https://wits.worldbank.org/product_concordance.html>
- United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>

Examples

```
# HS to NAICS
concord(sourcevar = c("120600", "854690"),
        origin = "HS", destination = "NAICS",
        dest.digit = 6, all = TRUE)
concord(sourcevar = c("120600", "854690"),
        origin = "HS", destination = "NAICS",
        dest.digit = 6, all = FALSE)

# NAICS to HS
concord(sourcevar = c("111120", "326199"),
        origin = "NAICS", destination = "HS",
        dest.digit = 6, all = TRUE)

# HS to SITC4
concord(sourcevar = c("120600", "854690"),
        origin = "HS", destination = "SITC4",
        dest.digit = 5, all = TRUE)

# SITC4 to HS
concord(sourcevar = c("22240", "77324"),
        origin = "SITC4", destination = "HS",
        dest.digit = 6, all = TRUE)

# HS to ISIC3
concord(sourcevar = c("120600", "854690"),
        origin = "HS", destination = "ISIC3",
        dest.digit = 4, all = TRUE)

# SITC4 to NAICS
concord(sourcevar = c("22240", "77324"),
        origin = "SITC4", destination = "NAICS",
        dest.digit = 6, all = TRUE)

# NAICS to SITC4
concord(sourcevar = c("111120", "326199"),
        origin = "NAICS", destination = "SITC4",
        dest.digit = 5, all = TRUE)

# BEC4 to NAICS2017
concord(sourcevar = c("11", "21"),
```

```
origin = "BEC4", destination = "NAICS2017",
dest.digit = 4, all = FALSE)
```

concord_hs

*Concord Within HS Codes***Description**

Concords codes within the Harmonized System classification (HS0, HS1, HS2, HS3, HS4, HS5, HS6).

Usage

```
concord_hs(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of HS codes. The function accepts 2, 4, 6-digit HS codes.
origin	A string setting the input industry classification: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), and "HS6" (2022).
destination	A string setting the output industry classification: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), and "HS6" (2022).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 2, 4, or 6-digit HS codes. The default is 4 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Always include leading zeros in codes (e.g., use HS code 010110 instead of 10110)—results may be buggy otherwise.

Source

Concordance tables provided by:

- United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>

Examples

```
# HS5 to HS4
concord_hs(sourcevar = c("1206", "8546"),
           origin = "HS5", destination = "HS4",
           dest.digit = 4, all = TRUE)

# HS0 to HS5
concord_hs(sourcevar = c("010111", "382390"),
           origin = "HS0", destination = "HS5",
           dest.digit = 6, all = TRUE)
```

concord_hs_bec

Converting HS and BEC Codes

Description

Concords Harmonized System codes (HS0, HS1, HS2, HS3, HS4, HS5, HS6, HS combined) to and from Broad Economic Classification codes (BEC Revision 4).

Usage

```
concord_hs_bec(sourcevar, origin, destination, dest.digit = 2, all = FALSE)
```

Arguments

sourcevar	An input character vector of HS or BEC codes. The function accepts 2, 4, 6-digit codes for HS and 1 to 3-digit codes for BEC.
origin	A string setting the input industry classification: "HS" (combined), "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "BEC4" (2016).
destination	A string setting the output industry classification: "HS" (combined), "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "BEC4" (2016).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 2, 4, or 6 digits for HS codes and 1 to 3 digits for BEC codes. The default is 2 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Always include leading zeros in codes (e.g., use HS code 010110 instead of 10110)—results may be buggy otherwise.

Source

Concordance tables provided by:

- United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>

Examples

```
# one input: one-to-one match
concord_hs_bec(sourcevar = "120600",
               origin = "HS", destination = "BEC4",
               dest.digit = 3, all = FALSE)

concord_hs_bec(sourcevar = "120600",
               origin = "HS", destination = "BEC4",
               dest.digit = 3, all = TRUE)

# two inputs: multiple-to-one match
concord_hs_bec(sourcevar = c("010110", "010210"),
               origin = "HS", destination = "BEC4",
               dest.digit = 3, all = FALSE)

concord_hs_bec(sourcevar = c("010110", "010210"),
               origin = "HS", destination = "BEC4",
               dest.digit = 3, all = TRUE)

# two inputs: repeated
concord_hs_bec(sourcevar = c("120600", "120600"),
               origin = "HS", destination = "BEC4",
               dest.digit = 3, all = FALSE)

# one to multiple matches
concord_hs_bec(sourcevar = c("010120", "030571"),
               origin = "HS", destination = "BEC4",
               dest.digit = 3, all = TRUE)

# if no match, will return NA and give warning message
concord_hs_bec(sourcevar = c("120600", "120610"),
               origin = "HS", destination = "BEC4",
               dest.digit = 3, all = FALSE)

# 4-digit inputs, 2-digit outputs
concord_hs_bec(sourcevar = c("1206", "8546"),
               origin = "HS", destination = "BEC4",
               dest.digit = 2, all = TRUE)

# 6-digit inputs, 1-digit outputs
```

```

concord_hs_bec(sourcevar = c("120600", "854610"),
              origin = "HS", destination = "BEC4",
              dest.digit = 1, all = TRUE)

## BEC4 to HS combined
concord_hs_bec(sourcevar = c("1", "7"),
              origin = "BEC4", destination = "HS",
              dest.digit = 6, all = FALSE)

```

concord_hs_isic *Converting HS and ISIC Codes*

Description

Concords Harmonized System codes (HS0, HS1, HS2, HS3, HS4, HS5, HS6, HS combined) to and from International Standard Industrial Classification codes (ISIC Revision 2, 3, 3.1, 4).

Usage

```
concord_hs_isic(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of HS or ISIC codes. The function accepts 2, 4, 6-digit codes for HS and 1 to 4-digit codes for ISIC.
origin	A string setting the input industry classification: "HS" (combined), "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008).
destination	A string setting the output industry classification: "HS" (combined), "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 2, 4, or 6 digits for HS codes and 1 to 4 digits for ISIC codes. The default is 4 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Always include leading zeros in codes (e.g., use HS code 010110 instead of 10110)—results may be buggy otherwise.

Source

Concordance tables provided by:

- World Integrated Trade Solution (WITS), World Bank <https://wits.worldbank.org/product_concordance.html>

Examples

```
## HS5 to ISIC4
concord_hs_isic(sourcevar = c("120600", "854690"),
               origin = "HS5", destination = "ISIC4",
               dest.digit = 4, all = TRUE)

## ISIC4 to HS5
concord_hs_isic(sourcevar = c("0111", "2599"),
               origin = "ISIC4", destination = "HS5",
               dest.digit = 4, all = TRUE)
```

concord_hs_naics *Converting HS and NAICS Codes*

Description

Concords Harmonized System codes (HS0, HS1, HS2, HS3, HS4, HS5, HS6, HS combined) to and from North American Industry Classification System codes (NAICS2002, NAICS2007, NAICS2012, NAICS2017, NAICS combined).

Usage

```
concord_hs_naics(sourcevar, origin, destination, dest.digit = 6, all = FALSE)
```

Arguments

sourcevar	An input character vector of HS or NAICS codes. The function accepts 2, 4, 6-digit codes for HS and 2 to 6-digit codes for NAICS.
origin	A string setting the input industry classification: "HS" (combined), "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "NAICS" (combined).
destination	A string setting the output industry classification: "HS" (combined), "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "NAICS" (combined).

<code>dest.digit</code>	An integer indicating the preferred number of digits for output codes. Allows 2, 4, or 6 digits for HS and 2 to 6-digit codes for NAICS. The default is 6 digits.
<code>all</code>	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when `all = TRUE` or a character vector when `all = FALSE`.

Note

Always include leading zeros in codes (e.g., use HS code 010110 instead of 10110)—results may be buggy otherwise.

Source

HS-NAICS concordance tables between 1989 and 2017 from Pierce and Schott (2009, 2018) <https://faculty.som.yale.edu/peterson/peterson_trade-data/>.

Examples

```
## HS combined to NAICS
# one input: one-to-one match
concord_hs_naics(sourcevar = "120600",
  origin = "HS", destination = "NAICS",
  all = FALSE)
concord_hs_naics(sourcevar = "120600",
  origin = "HS", destination = "NAICS",
  all = TRUE)

# two inputs: multiple-to-one match
concord_hs_naics(sourcevar = c("120600", "120400"),
  origin = "HS", destination = "NAICS",
  all = FALSE)
concord_hs_naics(sourcevar = c("120600", "120400"),
  origin = "HS", destination = "NAICS",
  all = TRUE)

# two inputs: repeated
concord_hs_naics(sourcevar = c("120600", "120600"),
  origin = "HS", destination = "NAICS",
  all = FALSE)

# one to multiple matches
concord_hs_naics(sourcevar = c("120600", "854690"),
  origin = "HS", destination = "NAICS",
```



```

        all = TRUE)

# if no match, will return NA and give warning message
concord_hs_naics(sourcevar = c("120600", "120800"),
                 origin = "HS", destination = "NAICS",
                 all = FALSE)

# 4-digit inputs
concord_hs_naics(sourcevar = c("1206", "8546"),
                 origin = "HS", destination = "NAICS",
                 all = TRUE)

# 4-digit outputs
concord_hs_naics(sourcevar = c("120600", "854690"),
                 origin = "HS", destination = "NAICS",
                 dest.digit = 4, all = TRUE)

## HS5 to NAICS
concord_hs_naics(sourcevar = c("1206", "8546"),
                 origin = "HS5", destination = "NAICS",
                 all = TRUE)

concord_hs_naics(sourcevar = c("120600", "854690"),
                 origin = "HS5", destination = "NAICS",
                 dest.digit = 4, all = TRUE)

## NAICS to HS
concord_hs_naics(sourcevar = c("1111", "3271"),
                 origin = "NAICS", destination = "HS",
                 all = TRUE)

concord_hs_naics(sourcevar = c("111120", "326199"),
                 origin = "NAICS", destination = "HS",
                 dest.digit = 4, all = TRUE)

```

concord_hs_sitc

Converting HS and SITC Codes

Description

Concords Harmonized System codes (HS0, HS1, HS2, HS3, HS4, HS5, HS6, HS combined) to and from Standard International Trade Classification codes (SITC Revision 1, 2, 3, 4).

Usage

```
concord_hs_sitc(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of HS or SITC codes. The function accepts 2, 4, 6-digit codes for HS and 1 to 5-digit codes for SITC.
origin	A string setting the input industry classification: "HS" (combined), "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), and "SITC4" (2006).
destination	A string setting the output industry classification: "HS" (combined), "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 2, 4, or 6 digits for HS codes and 1 to 5 digits for SITC codes. The default is 4 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Always include leading zeros in codes (e.g., use HS code 010110 instead of 10110)—results may be buggy otherwise.

Source

Concordance tables provided by:

- World Integrated Trade Solution (WITS), World Bank <https://wits.worldbank.org/product_concordance.html>
- United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>

Examples

```
## HS combined to SITC4
# one input: one-to-one match
concord_hs_sitc(sourcevar = "120600",
                origin = "HS", destination = "SITC4",
                dest.digit = 5, all = FALSE)

concord_hs_sitc(sourcevar = "120600",
                origin = "HS", destination = "SITC4",
```

```

dest.digit = 5, all = TRUE)

# two inputs: multiple-to-one match
concord_hs_sitc(sourcevar = c("010110", "010119"),
  origin = "HS", destination = "SITC4",
  dest.digit = 5, all = FALSE)

concord_hs_sitc(sourcevar = c("010110", "010119"),
  origin = "HS", destination = "SITC4",
  dest.digit = 5, all = TRUE)

# two inputs: repeated
concord_hs_sitc(sourcevar = c("120600", "120600"),
  origin = "HS", destination = "SITC4",
  dest.digit = 5, all = FALSE)

# one to multiple matches
concord_hs_sitc(sourcevar = c("1206", "1001"),
  origin = "HS", destination = "SITC4",
  dest.digit = 5, all = TRUE)

# if no match, will return NA and give warning message
concord_hs_sitc(sourcevar = c("120600", "120610"),
  origin = "HS", destination = "SITC4",
  dest.digit = 5, all = FALSE)

# 4-digit inputs, 5-digit outputs
concord_hs_sitc(sourcevar = c("1206", "8546"),
  origin = "HS", destination = "SITC4",
  dest.digit = 5, all = TRUE)

# 6-digit inputs, 3-digit outputs
concord_hs_sitc(sourcevar = c("120600", "854610"),
  origin = "HS", destination = "SITC4",
  dest.digit = 3, all = TRUE)

## SITC4 to HS combined
concord_hs_sitc(sourcevar = c("22240", "77322"),
  origin = "SITC4", destination = "HS",
  dest.digit = 6, all = FALSE)

```

concord_isic

Concord Within ISIC Codes

Description

Concords codes within the International Standard Industrial Classification codes (ISIC Revision 2, 3, 3.1, 4).

Usage

```
concord_isic(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of ISIC codes. The function accepts 1 to 4-digit ISIC codes.
origin	A string setting the input industry classification: "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008).
destination	A string setting the output industry classification: "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 1 to 4-digit ISIC codes. The default is 4 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Always include leading zeros in codes (e.g., use ISIC3 code 0111 instead of 111)—results may be buggy otherwise.

Source

Concordance tables provided by:

- United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>

Examples

```
# ISIC3 to ISIC2
concord_isic(sourcevar = c("0111", "1721"),
             origin = "ISIC3", destination = "ISIC2",
             dest.digit = 4, all = TRUE)
```

concord_isic_bec *Converting ISIC and BEC Codes*

Description

Concords International Standard Industrial Classification codes (ISIC Revision 2, 3, 3.1, 4) to and from Broad Economic Classification codes (BEC Revision 4) via the bridge of Harmonized System codes.

Usage

```
concord_isic_bec(sourcevar, origin, destination, dest.digit = 2, all = FALSE)
```

Arguments

sourcevar	An input character vector of ISIC or BEC codes. The function accepts 1 to 4-digit codes for ISIC and 1 to 3-digit codes for BEC.
origin	A string setting the input industry classification: "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008), "BEC4" (2016).
destination	A string setting the output industry classification: "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008), "BEC4" (2016).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 1 to 4 digits for ISIC and 1 to 3 digits for BEC codes. The default is 2 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Source

Concordance tables provided by:

- United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>

Examples

```

# one input: one-to-multiple match
concord_isic_bec(sourcevar = "1110",
                 origin = "ISIC2", destination = "BEC4",
                 dest.digit = 2, all = FALSE)

concord_isic_bec(sourcevar = "1110",
                 origin = "ISIC2", destination = "BEC4",
                 dest.digit = 2, all = TRUE)

# two inputs: multiple-to-multiple match
concord_isic_bec(sourcevar = c("3211", "2901"),
                 origin = "ISIC2", destination = "BEC4",
                 dest.digit = 2, all = FALSE)

concord_isic_bec(sourcevar = c("3211", "2901"),
                 origin = "ISIC2", destination = "BEC4",
                 dest.digit = 2, all = TRUE)

# repeated inputs
concord_isic_bec(sourcevar = c("3720", "3720"),
                 origin = "ISIC2", destination = "BEC4",
                 dest.digit = 2, all = FALSE)

# if no match, will return NA and give warning message
concord_isic_bec(sourcevar = c("3721", "2911"),
                 origin = "ISIC2", destination = "BEC4",
                 dest.digit = 2, all = FALSE)

# 3-digit inputs, 1-digit outputs
concord_isic_bec(sourcevar = c("372", "381"),
                 origin = "ISIC2", destination = "BEC4",
                 dest.digit = 1, all = TRUE)

# BEC4 to ISIC2
concord_isic_bec(sourcevar = c("1", "7"),
                 origin = "BEC4", destination = "ISIC2",
                 dest.digit = 4, all = FALSE)

```

concord_naics

Concord Within NAICS Codes

Description

Concords codes within the North American Industry Classification System codes (NAICS2002, NAICS2007, NAICS2012, NAICS2017).

Usage

```
concord_naics(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of NAICS codes. The function accepts 2 to 6-digit NAICS codes.
origin	A string setting the input industry classification: "NAICS2002", "NAICS2007", "NAICS2012", and "NAICS2017".
destination	A string setting the output industry classification: "NAICS2002", "NAICS2007", "NAICS2012", and "NAICS2017".
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 2 to 6-digit NAICS codes. The default is 4 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Source

Concordance tables provided by:

- United State Census Bureau <<https://www.census.gov/eos/www/naics/concordances/concordances.html>>

Examples

```
concord_naics(sourcevar = c("2111", "3352"),
              origin = "NAICS2017", destination = "NAICS2002",
              dest.digit = 6, all = TRUE)
concord_naics(sourcevar = c("2111", "3352"),
              origin = "NAICS2017", destination = "NAICS2007",
              dest.digit = 6, all = TRUE)
concord_naics(sourcevar = c("2111", "3352"),
              origin = "NAICS2017", destination = "NAICS2012",
              dest.digit = 6, all = TRUE)
```

concord_naics_bec

Converting NAICS and BEC Codes

Description

Concords North American Industry Classification System codes (NAICS2002, NAICS2007, NAICS2012, NAICS2017, NAICS combined) to and from Broad Economic Classification codes (BEC Revision 4) via the bridge of Harmonized System codes.

Usage

```
concord_naics_bec(sourcevar, origin, destination, dest.digit = 2, all = FALSE)
```

Arguments

sourcevar	An input character vector of NAICS or BEC codes. The function accepts 2 to 6-digit codes for NAICS and 1 to 3-digit codes for BEC.
origin	A string setting the input industry classification: "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "NAICS" (combined), "BEC4" (2016).
destination	A string setting the output industry classification: "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "NAICS" (combined), "BEC4" (2016).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 2 to 6 digits for NAICS and 1 to 3 digits for BEC codes. The default is 2 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Source

Concordance tables provided by:

- United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>

Examples

```
# one input: one-to-one match
concord_naics_bec(sourcevar = "11111",
                  origin = "NAICS2002", destination = "BEC4",
                  dest.digit = 2, all = FALSE)

concord_naics_bec(sourcevar = "212325",
                  origin = "NAICS2002", destination = "BEC4",
                  dest.digit = 2, all = TRUE)

# two inputs: multiple-to-multiple match
concord_naics_bec(sourcevar = c("11291", "31511"),
                  origin = "NAICS2002", destination = "BEC4",
                  dest.digit = 2, all = FALSE)

concord_naics_bec(sourcevar = c("11291", "31511"),
```



```

origin = "NAICS2002", destination = "BEC4",
dest.digit = 2, all = TRUE)

# repeated inputs
concord_naics_bec(sourcevar = c("11251", "11251"),
origin = "NAICS2002", destination = "BEC4",
dest.digit = 2, all = FALSE)

# if no match, will return NA and give warning message
concord_naics_bec(sourcevar = c("23721", "23721"),
origin = "NAICS2002", destination = "BEC4",
dest.digit = 2, all = FALSE)

# 4-digit inputs, 1-digit outputs
concord_naics_bec(sourcevar = c("1129", "3151"),
origin = "NAICS2002", destination = "BEC4",
dest.digit = 1, all = TRUE)

# BEC4 to NAICS2002
concord_naics_bec(sourcevar = c("1", "7"),
origin = "BEC4", destination = "NAICS2002",
dest.digit = 6, all = FALSE)

```

concord_naics_isic *Converting NAICS and ISIC Codes*

Description

Concords North American Industry Classification System codes (NAICS2002, NAICS2007, NAICS2012, NAICS2017) to and from International Standard Industrial Classification codes (ISIC Revision 2, 3, 3.1, 4).

Usage

```
concord_naics_isic(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of NAICS or ISIC codes. The function accepts 2 to 6-digit codes for NAICS and 1 to 4-digit codes for ISIC.
origin	A string setting the input industry classification: "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008).
destination	A string setting the output industry classification: "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 2 to 6 digits for NAICS codes and 1 to 4 digits for ISIC codes. The default is 4 digits.

all Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Always include leading zeros in codes (e.g., use ISIC4 code 0111 instead of 111)—results may be buggy otherwise.

Source

Concordance tables provided by:

- The U.S. Census Bureau <<https://www.census.gov/eos/www/naics/concordances/concordances.html>>

Examples

```
## NAICS2017 to ISIC4
concord_naics_isic(sourcevar = c("111120", "326199"),
  origin = "NAICS2017", destination = "ISIC4",
  dest.digit = 4, all = TRUE)
```

concord_sitc

Concord Within SITC Codes

Description

Concords codes within the Standard International Trade Classification classification (SITC Revision 1, 2, 3, 4).

Usage

```
concord_sitc(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of SITC codes. The function accepts 1 to 5-digit SITC codes.
origin	A string setting the input industry classification: "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006).
destination	A string setting the output industry classification: "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 1 to 5-digit SITC codes. The default is 4 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Always include leading zeros in codes (e.g., use SITC code 01211 instead of 1211)—results may be buggy otherwise.

Source

Concordance tables provided by:

- United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>

Examples

```
# SITC4 to SITC3
concord_sitc(sourcevar = c("22240", "04110"), origin = "SITC4",
             destination = "SITC3", dest.digit = 5, all = TRUE)

# SITC1 to SITC4
concord_sitc(sourcevar = c("22180", "04100"), origin = "SITC1",
             destination = "SITC4", dest.digit = 5, all = TRUE)
```

concord_sitc_bec *Converting SITC and BEC Codes*

Description

Concords Standard International Trade Classification codes (SITC1, SITC2, SITC3, SITC4) to and from Broad Economic Classification codes (BEC Revision 4).

Usage

```
concord_sitc_bec(sourcevar, origin, destination, dest.digit = 2, all = FALSE)
```

Arguments

sourcevar	An input character vector of SITC or BEC codes. The function accepts 1 to 5-digit codes for SITC and 1 to 3-digit codes for BEC.
origin	A string setting the input industry classification: "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "BEC4" (2016).
destination	A string setting the output industry classification: "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "BEC4" (2016).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 1 to 5 digits for SITC and 1 to 3 digits for BEC codes. The default is 2 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Source

Concordance tables provided by:

- United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>

Examples

```

# one input: one-to-one match
concord_sitc_bec(sourcevar = "73161",
                 origin = "SITC1", destination = "BEC4",
                 dest.digit = 3, all = FALSE)

concord_sitc_bec(sourcevar = "73161",
                 origin = "SITC1", destination = "BEC4",
                 dest.digit = 3, all = TRUE)

# two inputs: multiple-to-one match
concord_sitc_bec(sourcevar = c("04300", "05484"),
                 origin = "SITC1", destination = "BEC4",
                 dest.digit = 3, all = FALSE)

concord_sitc_bec(sourcevar = c("04300", "05484"),
                 origin = "SITC1", destination = "BEC4",
                 dest.digit = 3, all = TRUE)

# two inputs: repeated
concord_sitc_bec(sourcevar = c("04300", "04300"),
                 origin = "SITC1", destination = "BEC4",
                 dest.digit = 3, all = FALSE)

# if no match, will return NA and give warning message
concord_sitc_bec(sourcevar = c("04300", "04301"),
                 origin = "SITC1", destination = "BEC4",
                 dest.digit = 3, all = FALSE)

# 4-digit inputs, 2-digit outputs
concord_sitc_bec(sourcevar = c("0430", "5121"),
                 origin = "SITC1", destination = "BEC4",
                 dest.digit = 2, all = TRUE)

# 3-digit inputs, 1-digit outputs
concord_sitc_bec(sourcevar = c("043", "512"),
                 origin = "SITC1", destination = "BEC4",
                 dest.digit = 1, all = TRUE)

# BEC4 to SITC1
concord_sitc_bec(sourcevar = c("1", "7"),
                 origin = "BEC4", destination = "SITC1",
                 dest.digit = 5, all = FALSE)

```

concord_sitc_isic *Converting SITC and ISIC Codes*

Description

Concords Standard International Trade Classification codes (SITC Revision 1, 2, 3, 4) to and from International Standard Industrial Classification codes (ISIC Revision 2, 3, 3.1, 4).

Usage

```
concord_sitc_isic(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of SITC or ISIC codes. The function accepts 1 to 5-digit codes for SITC and 1 to 4-digit codes for ISIC.
origin	A string setting the input industry classification: "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008).
destination	A string setting the output industry classification: "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 1 to 5 digits for SITC codes and 1 to 4 digits for ISIC codes. The default is 4 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Always include leading zeros in codes (e.g., use HS code 010110 instead of 10110)—results may be buggy otherwise.

Source

Concordance tables provided by:

- World Integrated Trade Solution (WITS), World Bank <https://wits.worldbank.org/product_concordance.html>

Examples

```
## SITC3 to ISIC3
concord_sitc_isic(sourcevar = c("22240", "04110"),
                  origin = "SITC3", destination = "ISIC3",
                  dest.digit = 4, all = TRUE)
```

 concord_sitc_naics *Converting SITC and NAICS Codes*

Description

Concords Standard International Trade Classification classification codes (SITC Revision 1, 2, 3, 4) to and from North American Industry Classification System codes (NAICS2002, NAICS2007, NAICS2012, NAICS2017, NAICS combined).

Usage

```
concord_sitc_naics(sourcevar, origin, destination, dest.digit = 4, all = FALSE)
```

Arguments

sourcevar	An input character vector of SITC or NAICS codes. The function accepts 1 to 5-digit codes for SITC and 2 to 6-digit codes for NAICS.
origin	A string setting the input industry classification: "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "NAICS" (combined).
destination	A string setting the output industry classification: "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "NAICS" (combined).
dest.digit	An integer indicating the preferred number of digits for output codes. Allows 1 to 5-digit codes for SITC and 2 to 6-digit codes for NAICS. The default is 4 digits.
all	Either TRUE or FALSE. If TRUE, the function will return (1) all matched outputs for each input, and (2) the share of occurrences for each matched output among all matched outputs. Users can use the shares as weights for more precise concordances. If FALSE, the function will only return the matched output with the largest share of occurrences (the mode match). If the mode consists of multiple matches, the function will return the first matched output.

Value

The matched output(s) for each element of the input vector. Either a list object when all = TRUE or a character vector when all = FALSE.

Note

Always include leading zeros in codes (e.g., use SITC code 01211 instead of 1211)—results may be buggy otherwise.

Source

SITC-NAICS concordances are mapped through HS (combined):

- SITC-HS concordance tables are from the World Integrated Trade Solution (WITS), World Bank <https://wits.worldbank.org/product_concordance.html> and United Nations Trade Statistics <<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>>.
- HS-NAICS concordance tables are from Pierce and Schott (2009, 2018) <<https://faculty.som.yale.edu/peterschott/international-trade-data/>>.

Examples

```
## SITC4 to NAICS
# one input: one-to-one match
concord_sitc_naics(sourcevar = "22240",
                  origin = "SITC4", destination = "NAICS",
                  dest.digit = 6, all = FALSE)
concord_sitc_naics(sourcevar = "22240",
                  origin = "SITC4", destination = "NAICS",
                  dest.digit = 6, all = TRUE)

# two inputs: multiple-to-one match
concord_sitc_naics(sourcevar = c("22240", "04110"),
                  origin = "SITC4", destination = "NAICS",
                  dest.digit = 6, all = FALSE)
concord_sitc_naics(sourcevar = c("22240", "04110"),
                  origin = "SITC4", destination = "NAICS",
                  dest.digit = 6, all = TRUE)

# two inputs: repeated
concord_sitc_naics(sourcevar = c("22240", "22240"),
                  origin = "SITC4", destination = "NAICS",
                  dest.digit = 6, all = FALSE)

# one to multiple matches
concord_sitc_naics(sourcevar = c("22240", "00190"),
                  origin = "SITC4", destination = "NAICS",
                  dest.digit = 6, all = TRUE)

# if no match, will return NA and give warning message
concord_sitc_naics(sourcevar = c("22240", "00160"),
                  origin = "SITC4", destination = "NAICS",
                  dest.digit = 6, all = FALSE)

# 4-digit inputs
concord_sitc_naics(sourcevar = c("2224", "0019"),
                  origin = "SITC4", destination = "NAICS",
                  dest.digit = 6, all = TRUE)

# 4-digit outputs
concord_sitc_naics(sourcevar = c("22240", "00190"),
                  origin = "SITC4", destination = "NAICS",
                  dest.digit = 6, all = TRUE)
```



```
## NAICS to SITC4
concord_sitc_naics(sourcevar = c("111120", "326199"),
  origin = "NAICS", destination = "SITC4",
  dest.digit = 4, all = TRUE)
```

get_desc

Looking Up Product Description

Description

Returns the description of product codes.

Usage

```
get_desc(sourcevar, origin)
```

Arguments

sourcevar	A character vector of input codes.
origin	A string indicating one of the following industry/product classifications: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "HS" (combined), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008), "BEC4" (2016).

Value

A character vector giving the title/description of each element of the input codes.

Note

Please include leading zeros in codes (e.g., use HS code 010110 instead of 10110). For BEC4 only, use original codes or add trailing zeroes if necessary (e.g., 7 or 700 instead of 007). Results may be buggy otherwise.

Source

Data consolidated from

- The U.S. Census Bureau <<https://www.census.gov/>>
- The U.S. Bureau of Labor Statistics <<https://www.bls.gov/>>
- UN Comtrade <<https://comtrade.un.org/>>
- UN Trade Statistics <<https://unstats.un.org/unsd/trade/default.asp>>

Examples

```
# HS
get_desc(sourcevar = c("120600", "854690"), origin = "HS")

# Returns NA when no concordances exist and gives warning message
get_desc(sourcevar = c("120600", "120601", "854690"), origin = "HS")

# HS0
get_desc(sourcevar = c("120600", "854690"), origin = "HS0")

# HS1
get_desc(sourcevar = c("120600", "854690"), origin = "HS1")

# HS2
get_desc(sourcevar = c("120600", "854690"), origin = "HS2")

# HS3
get_desc(sourcevar = c("120600", "854690"), origin = "HS3")

# HS4
get_desc(sourcevar = c("120600", "854690"), origin = "HS4")

# HS5
get_desc(sourcevar = c("120600", "854690"), origin = "HS5")

# HS6
get_desc(sourcevar = c("120600", "854690"), origin = "HS6")

# NAICS 2002
get_desc(sourcevar = c("111120", "326199"), origin = "NAICS2002")

# NAICS 2007
get_desc(sourcevar = c("111120", "326199"), origin = "NAICS2007")

# NAICS 2012
get_desc(sourcevar = c("111120", "326199"), origin = "NAICS2012")

# NAICS 2017
get_desc(sourcevar = c("111120", "326199"), origin = "NAICS2017")

# ISIC2
get_desc(sourcevar = c("3114", "3831"), origin = "ISIC2")

# ISIC3
get_desc(sourcevar = c("1512", "3110"), origin = "ISIC3")

# ISIC4
get_desc(sourcevar = c("1512", "3110"), origin = "ISIC4")

# SITC1
get_desc(sourcevar = c("4216", "7232"), origin = "SITC1")
```

```

# SITC2
get_desc(sourcevar = c("4236", "7732"), origin = "SITC2")

# SITC3
get_desc(sourcevar = c("4221", "7732"), origin = "SITC3")

# SITC4
get_desc(sourcevar = c("4221", "7732"), origin = "SITC4")

# BEC4
get_desc(sourcevar = c("111", "112"), origin = "BEC4")

```

get_intermediate *Looking Up the Level of Intermediate Goods Production*

Description

Calculates and returns the level (proportion) of intermediate goods production in an industry based on product descriptions.

Usage

```
get_intermediate(sourcevar, origin)
```

Arguments

sourcevar	An input character vector of industry codes to look up.
origin	A string indicating one of the following industry/product classifications: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "HS" (combined), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "ISIC2" (1968), "ISIC3" (1989), "ISIC4" (2008), "BEC4" (2016).

Value

Uses keywords ("part(s)", "intermediate", and "component") to identify intermediate-goods producing industries (at the most disaggregated level in the description data), and then calculates and returns the proportion these industries occupy among each input code.

Note

Please include leading zeros in codes (e.g., use HS code 010110 instead of 10110). For BEC4 only, use original codes or add trailing zeroes if necessary (e.g., 7 or 700 instead of 007). Also note that the results may not be informative for broad categories like BEC4.

Source

Product descriptions consolidated from

- The U.S. Census Bureau <<https://www.census.gov/>>
- The U.S. Bureau of Labor Statistics <<https://www.bls.gov/>>
- UN Comtrade <<https://comtrade.un.org/>>
- UN Trade Statistics <<https://unstats.un.org/unsd/trade/default.asp>>

Examples

```
# NAICS
get_intermediate(sourcevar = c("11", "31-33", "42"), origin = "NAICS2017")
get_intermediate(sourcevar = c("3131", "3363"), origin = "NAICS2017")

# HS
get_intermediate(sourcevar = c("03", "84"), origin = "HS5")

# SITC
get_intermediate(sourcevar = c("05", "75"), origin = "SITC4")
```

get_proddiff

Looking Up Product Differentiation

Description

Returns Rauch's classification of product differentiation. Rauch classifies 4-digit SITC2 codes according to three possible types: differentiated products ("n"), reference priced ("r"), and homogeneous goods traded on an organized exchange ("w").

Usage

```
get_proddiff(sourcevar, origin, setting = "CON", prop = "")
```

Arguments

sourcevar	An input character vector of industry/product codes.
origin	A string setting the input coding scheme. Supports the following classifications: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "HS" (combined), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "ISIC2" (1968), "ISIC3" (1989), "ISIC4" (2008), "BEC4" (2016).
setting	Choose "CON" (conservative, default) or "LIB" (liberal) classification.
prop	Can be set to "n", "r", or "w", in which case the function will return, respectively, the proportion of type "n", "r", or "w" in the resulting vector of Rauch indices. If prop is not set to any of these, then the function returns, for each input code, a dataframe that summarizes all the frequencies and proportions of type "w", "r", and "n".

Value

Concords each element of the input vector to 4-digit SITC2 codes, then uses the corresponding codes as input to extract Rauch product differentiation indices.

Note

Please include leading zeros in codes (e.g., use HS code 010110 instead of 10110). For BEC4 only, use original codes or add trailing zeroes if necessary (e.g., 7 or 700 instead of 007). Results may be buggy otherwise.

Source

Data from Jon Haveman's International Trade Data page <<http://www.maclester.edu/research/economics/PAGE/HAVEMAN>>

References

Rauch, James E. 1999. "Networks Versus Markets in International Trade," *Journal of International Economics* 48(1): 7–35.

Examples

```
# SITC2 input
get_proddiff(sourcevar = c("22240", "04110"), origin = "SITC2", setting = "CON", prop = "")

get_proddiff(sourcevar = c("22240", "04110"), origin = "SITC2", setting = "CON", prop = "r")

get_proddiff(sourcevar = c("22240", "04110"), origin = "SITC2", setting = "CON", prop = "w")

get_proddiff(sourcevar = c("22240", "04110"), origin = "SITC2", setting = "CON", prop = "n")

get_proddiff(sourcevar = c("22240", "04110"), origin = "SITC2", setting = "LIB", prop = "")

# SITC3 input
get_proddiff(sourcevar = c("22240", "04110"), origin = "SITC3", setting = "CON", prop = "")

# SITC4 input
get_proddiff(sourcevar = c("22240", "04110"), origin = "SITC4", setting = "CON", prop = "")

# HS input
get_proddiff(sourcevar = c("1206", "1001", "8546"), origin = "HS", setting = "CON", prop = "")

# NAICS input
get_proddiff(sourcevar = c("111120", "326199"), origin = "NAICS", setting = "CON", prop = "")

# BEC4 input
get_proddiff(sourcevar = c("11", "21"), origin = "BEC4", setting = "CON", prop = "")
```

 get_product

Looking Up Product Codes By Keywords

Description

Returns product codes for which descriptions match user-specified keywords.

Usage

```
get_product(pattern, origin, digits = 4, type = "regex", ignore.case = TRUE)
```

Arguments

pattern	String pattern to look for. The function utilizes the function <code>stringr::str_detect</code> for pattern detection.
origin	A string indicating one of the following industry/product classifications: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "HS" (combined), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "ISIC2" (1968), "ISIC3" (1989), "ISIC4" (2008), "BEC4" (2016).
digits	An integer indicating the preferred number of digits for output codes. The default is 4 digits. Allows 1 to 5-digit codes for the SITC classification; 2, 4, 6-digit codes for NAICS and HS classifications; 1 to 4-digit codes for the ISIC classification; 1 to 3-digit codes for the BEC classification.
type	A string indicating the type of pattern interpretation. Three options are available: <code>regex</code> , <code>fixed</code> , and <code>coll</code> . The default interpretation is a regular expression. See <code>?str_detect</code> for further details.
ignore.case	If TRUE (by default), pattern detection will ignore case differences.

Value

A character vector of product codes that match user specified description patterns.

Source

Product descriptions consolidated from

- The U.S. Census Bureau <<https://www.census.gov/>>
- The U.S. Bureau of Labor Statistics <<https://www.bls.gov/>>
- UN Comtrade <<https://comtrade.un.org/>>
- UN Trade Statistics <<https://unstats.un.org/unsd/trade/default.asp>>

Examples

```
# find manufacture-related NAICS codes
manu.vec <- get_product(pattern = "manu", origin = "NAICS2017", digits = 4,
                        type = "regex", ignore.case = TRUE)

manu.vec

# check product description
get_desc(manu.vec, origin = "NAICS2017")

# 6-digit outputs
get_product(pattern = "manu", origin = "NAICS2017", digits = 6,
            type = "regex", ignore.case = TRUE)

# choose different interpretation types
get_product(pattern = "manu", origin = "NAICS2017", digits = 4,
            type = "fixed", ignore.case = TRUE)
get_product(pattern = "manu", origin = "NAICS2017", digits = 4,
            type = "coll", ignore.case = TRUE)
```

get_sigma

*Looking Up Product Elasticity***Description**

Returns product-level import demand price elasticities based on 3-digit HS0 estimates from Broda and Weinstein (QJE, 2006) for 73 countries.

Usage

```
get_sigma(
  sourcevar,
  origin,
  country = "USA",
  use_SITC = FALSE,
  give_avg = TRUE
)
```

Arguments

sourcevar	An input character vector of industry/product codes.
origin	A string setting the input coding scheme. Supports the following classifications: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "HS" (combined), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008), "BEC4" (2016).

country	A string setting the ISO 3-letter country code for which to return import demand elasticities (default = "USA"). For a list of available countries, load the package and type "unique(sigma_hs0_3d\$iso3c)".
use_SITC	Set to FALSE by default. Set to TRUE if you wish to look up elasticities via 5-digit SITC3 codes instead. Only available for the United States.
give_avg	Set to FALSE if you wish to obtain the full vector of elasticities for all matching codes of each element in the input vector. When set to TRUE (as by default) each output element will be a simple average of all elasticities (of matched codes) in the corresponding vector.

Value

Concords vector of input codes to 3-digit HS0 codes and then extracts the corresponding product-level import demand elasticities in the country selected by the user. For the United States (only), Broda and Weinstein (2006) have also estimated elasticities based on more fine-grained 5-digit SITC3 codes. Set use_SITC to TRUE to obtain elasticities in the United States via this method.

Note

Always include leading zeros in codes (e.g., use HS code 010110 instead of 10110)—results may be buggy otherwise.

Source

Data from David E. Weinstein's webpage <<http://www.columbia.edu/~dew35/TradeElasticities/TradeElasticities.html>>.

References

Broda, Christian, and David E. Weinstein. 2006. "Globalization and the Gains from Variety," *Quarterly Journal of Economics*, 121(2): 541–585.

Examples

```
# South Korea, SITC4 input
get_sigma(sourcevar = c("21170", "69978", "21170"), origin = "SITC4",
          country = "KOR", use_SITC = FALSE, give_avg = TRUE)

get_sigma(sourcevar = c("21170", "69978", "21170"), origin = "SITC4",
          country = "KOR", use_SITC = FALSE, give_avg = FALSE)

# United States, HS5 input, SITC3 estimates
get_sigma(sourcevar = c("0101", "0207", "0101"), origin = "HS5",
          country = "USA", use_SITC = TRUE, give_avg = FALSE)

get_sigma(sourcevar = c("0101", "0207", "0101"), origin = "HS5",
          country = "USA", use_SITC = TRUE, give_avg = TRUE)
```

get_upstream

Looking Up the Upstreamness and Downstreamness of Industries

Description

Returns measures of industry upstreamness and downstreamness based on Antras and Chor (2018) and Antras, Chor, Fally and Hillberry (2012).

Usage

```
get_upstream(
  sourcevar,
  origin,
  country,
  year,
  setting = "GVC_Ui",
  detailed = FALSE
)
```

Arguments

sourcevar	An input character vector of industry codes to look up.
origin	A string indicating one of the following industry/product classifications: "HS0" (1988/92), "HS1" (1996), "HS2" (2002), "HS3" (2007), "HS4" (2012), "HS5" (2017), "HS6" (2022), "HS" (combined), "SITC1" (1950), "SITC2" (1974), "SITC3" (1985), "SITC4" (2006), "NAICS2002", "NAICS2007", "NAICS2012", "NAICS2017", "ISIC2" (1968), "ISIC3" (1989), "ISIC3.1" (2002), "ISIC4" (2008), "BEC4" (2016).
country	A string setting the ISO 3-letter country code for which to return values (default = "USA"). Antras and Chor (2018) provide estimates for 40 countries and the Rest of the World (RoW). For a list of available countries, load the package and type "unique(upstream\$ISO3C)".
year	An integer setting the year for which to return values. Antras and Chor (2018) provide estimates for 1995-2011. The default returns estimates for 2011.
setting	Choose one of the four available measures from Antras and Chor (2018). <ul style="list-style-type: none"> "GVC_Ui": Upstreamness (net inventories correction). This is the default measure. Larger values are associated with higher levels of upstreamness. "GVC_FUGOi": Final-use to gross-output (net inventories correction). Lower values are associated with higher levels of upstreamness. "GVC_Di": Downstreamness (net inventories correction). Larger values are associated with higher levels of downstreamness. "GVC_VAGOi": Value-added to gross-output (net inventories correction). Lower values are associated with higher levels of downstreamness.

- detailed Choose whether to return more detailed industry-level GVC_Ui estimates following Antras, Chor, Fally, and Hillberry (2012). Note that these estimates only exist for USA in 2002, 2007, and 2012.
- "FALSE": Do not report detailed measures. This is the default.
 - "TRUE": Report the detailed measures.

Value

Concords each element of the input vector to 2-digit ISIC3 codes, then uses the corresponding codes as input to calculate weighted estimates of upstreamness or downstreamness. For detailed estimates, the function concords each element of the input vector to 6-digit BEA codes, and then calculates weighted average estimates of upstreamness (GVC_Ui).

Source

Data from Pol Antras' webpage:

- <<https://scholar.harvard.edu/antras/publications/measurement-upstreamness-and-downstreamness-global-valuechains>>
- <<https://scholar.harvard.edu/antras/publications/measuring-upstreamness-production-and-trade-flows>>

References

- Antras, Pol, and Davin Chor. 2018. "On the Measurement of Upstreamness and Downstreamness in Global Value Chains." *World Trade Evolution: Growth, Productivity and Employment*, 126-194. Taylor & Francis Group.
- Antras, Pol, Davin Chor, Thibault Fally, and Russell Hillberry. 2012. "Measuring the Upstreamness of Production and Trade Flows." *American Economic Review Papers and Proceedings* 102(3), 412-416.

Examples

```
# ISIC3
get_upstream(sourcevar = c("01", "29", "29", "80"), origin = "ISIC3",
             country = "USA", year = "2011",
             setting = "GVC_Ui", detailed = FALSE)

# HS5
get_upstream(sourcevar = c("0101", "0301", "7014", "8420"), origin = "HS5",
             country = "USA", year = "2012",
             setting = "GVC_Ui", detailed = TRUE)
```

hs0_bec4	<i>HS0-BEC4 Concordance</i>
----------	-----------------------------

Description

A dataset containing concordances between HS1 and BEC4 classifications.

Usage

hs0_bec4

Format

A data frame with 5,156 rows and 6 variables:

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs0_desc	<i>HS0 Description</i>
----------	------------------------

Description

A dataset containing the description of products under the HS0 classification.

Usage

hs0_desc

Format

A data frame with 6380 rows and 2 variables:

code HS0 Code

desc HS0 Description

Source

<https://comtrade.un.org/data/cache/classificationH0.json>

hs0_isic2

HS0-ISIC2 Concordance

Description

A dataset containing concordances between HS0 and ISIC2 classifications.

Usage

hs0_isic2

Format

A data frame with 5018 rows and 7 variables:

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs0_isic3

HS0-ISIC3 Concordance

Description

A dataset containing concordances between HS0 and ISIC3 classifications.

Usage

hs0_isic3

Format

A data frame with 5018 rows and 7 variables:

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs0_naics	<i>HS0-NAICS Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS0 and NAICS (combined) classifications.

Usage

hs0_naics

Format

A data frame with 8058 rows and 8 variables:

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

hs0_sitc1

HS0-SITC1 Concordance

Description

A dataset containing concordances between HS0 and SITC1 classification.

Usage

hs0_sitc1

Format

A data frame with 5012 rows and 8 variables:

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

https://wits.worldbank.org/product_concordance.html

hs0_sitc2

HS0-SITC2 Concordance

Description

A dataset containing concordances between HS0 and SITC2 classifications.

Usage

hs0_sitc2

Format

A data frame with 5017 rows and 8 variables:

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs0_sitc3

HS0-SITC3 Concordance

Description

A dataset containing concordances between HS0 and SITC3 classifications.

Usage

hs0_sitc3

Format

A data frame with 5017 rows and 8 variables:

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs0_sitc4

HS0-SITC4 Concordance

Description

A dataset containing concordances between HS0 and SITC4 classifications.

Usage

hs0_sitc4

Format

A data frame with 5018 rows and 8 variables:

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

Source

https://wits.worldbank.org/product_concordance.html

hs1_bec4

HS1-BEC4 Concordance

Description

A dataset containing concordances between HS1 and BEC4 classifications.

Usage

hs1_bec4

Format

A data frame with 5,334 rows and 6 variables:

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs1_desc

HS1 Description

Description

A dataset containing the description of products under the HS1 classification.

Usage

hs1_desc

Format

A data frame with 6473 rows and 2 variables:

code HS1 Code

desc HS1 Description

Source

<https://comtrade.un.org/data/cache/classificationH1.json>

hs1_hs0	<i>HS1-HS0 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS1 and HS0 classification.

Usage

hs1_hs0

Format

A data frame with 5130 rows and 6 variables:

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs1_isic2	<i>HS1-ISIC2 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS1 and ISIC2 classifications.

Usage

hs1_isic2

Format

A data frame with 5113 rows and 7 variables:

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs1_isic3	<i>HS1-ISIC3 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS1 and ISIC3 classifications.

Usage

hs1_isic3

Format

A data frame with 5113 rows and 7 variables:

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs1_naics

HS1-NAICS Concordance

Description

A dataset containing concordances between HS1 and NAICS (combined) classifications.

Usage

hs1_naics

Format

A data frame with 8297 rows and 8 variables:

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

hs1_sitc1

HS1-SITC1 Concordance

Description

A dataset containing concordances between HS1 and SITC1 classifications.

Usage

hs1_sitc1

Format

A data frame with 5106 rows and 8 variables:

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

https://wits.worldbank.org/product_concordance.html

hs1_sitc2

HS1-SITC2 Concordance

Description

A dataset containing concordances between HS1 and SITC2 classifications.

Usage

hs1_sitc2

Format

A data frame with 5111 rows and 8 variables:

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs1_sitc3

HS1-SITC3 Concordance

Description

A dataset containing concordances between HS1 and SITC3 classifications.

Usage

hs1_sitc3

Format

A data frame with 5111 rows and 8 variables:

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs1_sitc4

HS1-SITC4 Concordance

Description

A dataset containing concordances between HS1 and SITC4 classifications.

Usage

hs1_sitc4

Format

A data frame with 5111 rows and 8 variables:

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

Source

https://wits.worldbank.org/product_concordance.html

hs2_bec4

HS2-BEC4 Concordance

Description

A dataset containing concordances between HS2 and BEC4 classifications.

Usage

hs2_bec4

Format

A data frame with 5,351 rows and 6 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs2_desc	<i>HS2 Description</i>
----------	------------------------

Description

A dataset containing the description of products under the HS2 classification.

Usage

hs2_desc

Format

A data frame with 6568 rows and 2 variables:

code HS2 Code

desc HS2 Description

Source

<https://comtrade.un.org/data/cache/classificationH2.json>

hs2_hs0	<i>HS2-HS0 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS2 and HS0 classification.

Usage

hs2_hs0

Format

A data frame with 5223 rows and 6 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs2_hs1	<i>HS2-HS1 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS2 and HS1 classification.

Usage

hs2_hs1

Format

A data frame with 5223 rows and 6 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs2_isic2	<i>HS2-ISIC2 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS2 and ISIC2 classifications.

Usage

hs2_isic2

Format

A data frame with 5224 rows and 7 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs2_isic3	<i>HS2-ISIC3 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS2 and ISIC3 classifications.

Usage

hs2_isic3

Format

A data frame with 5224 rows and 7 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs2_naics	<i>HS2-NAICS Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS2 and NAICS (combined) classifications.

Usage

hs2_naics

Format

A data frame with 8609 rows and 8 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

hs2_sitc1	<i>HS2-SITC1 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS2 and SITC1 classifications.

Usage

hs2_sitc1

Format

A data frame with 5217 rows and 8 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

https://wits.worldbank.org/product_concordance.html

hs2_sitc2

HS2-SITC2 Concordance

Description

A dataset containing concordances between HS2 and SITC2 classifications.

Usage

hs2_sitc2

Format

A data frame with 5222 rows and 8 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs2_sitc3

HS2-SITC3 Concordance

Description

A dataset containing concordances between HS2 and SITC3 classifications.

Usage

hs2_sitc3

Format

A data frame with 5222 rows and 8 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs2_sitc4

HS2-SITC4 Concordance

Description

A dataset containing concordances between HS2 and SITC4 classifications.

Usage

hs2_sitc4

Format

A data frame with 5220 rows and 8 variables:

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

Source

https://wits.worldbank.org/product_concordance.html

hs3_bec4

HS3-BEC4 Concordance

Description

A dataset containing concordances between HS3 and BEC4 classifications.

Usage

hs3_bec4

Format

A data frame with 5,050 rows and 6 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs3_desc	<i>HS3 Description</i>
----------	------------------------

Description

A dataset containing the description of products under the HS3 classification.

Usage

hs3_desc

Format

A data frame with 6372 rows and 2 variables:

code HS3 Code

desc HS3 Description

Source

<https://comtrade.un.org/data/cache/classificationH3.json>

hs3_hs0	<i>HS3-HS0 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS3 and HS0 classification.

Usage

hs3_hs0

Format

A data frame with 5053 rows and 6 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs3_hs1	<i>HS3-HS1 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS3 and HS1 classification.

Usage

hs3_hs1

Format

A data frame with 5052 rows and 6 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs3_hs2	<i>HS3-HS2 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS3 and HS2 classification.

Usage

hs3_hs2

Format

A data frame with 5052 rows and 6 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs3_isic2	<i>HS3-ISIC2 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS3 and ISIC2 classifications.

Usage

hs3_isic2

Format

A data frame with 5052 rows and 7 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs3_isic3	<i>HS3-ISIC3 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS3 and ISIC3 classifications.

Usage

hs3_isic3

Format

A data frame with 5052 rows and 7 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs3_naics

HS3-NAICS Concordance

Description

A dataset containing concordances between HS3 and NAICS (combined) classifications.

Usage

hs3_naics

Format

A data frame with 8545 rows and 8 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

hs3_sitc1	<i>HS3-SITC1 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS3 and SITC1 classifications.

Usage

hs3_sitc1

Format

A data frame with 5045 rows and 8 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

https://wits.worldbank.org/product_concordance.html

hs3_sitc2	<i>HS3-SITC2 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS3 and SITC2 classifications.

Usage

hs3_sitc2

Format

A data frame with 5050 rows and 8 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs3_sitc3

HS3-SITC3 Concordance

Description

A dataset containing concordances between HS3 and SITC3 classifications.

Usage

hs3_sitc3

Format

A data frame with 5050 rows and 8 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs3_sitc4

HS3-SITC4 Concordance

Description

A dataset containing concordances between HS3 and SITC4 classifications.

Usage

hs3_sitc4

Format

A data frame with 5050 rows and 8 variables:

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

Source

https://wits.worldbank.org/product_concordance.html

hs4_bec4

HS4-BEC4 Concordance

Description

A dataset containing concordances between HS4 and BEC4 classifications.

Usage

hs4_bec4

Format

A data frame with 5,283 rows and 6 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs4_desc

HS4 Description

Description

A dataset containing the description of products under the HS4 classification.

Usage

hs4_desc

Format

A data frame with 6528 rows and 2 variables:

code HS4 Code

desc HS4 Description

Source

<https://comtrade.un.org/data/cache/classificationH4.json>

hs4_hs0	<i>HS4-HS0 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS4 and HS0 classification.

Usage

hs4_hs0

Format

A data frame with 5206 rows and 6 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs4_hs1	<i>HS4-HS1 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS4 and HS1 classification.

Usage

hs4_hs1

Format

A data frame with 5206 rows and 6 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs4_hs2	<i>HS4-HS2 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS4 and HS2 classification.

Usage

hs4_hs2

Format

A data frame with 5206 rows and 6 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs4_hs3	<i>HS4-HS3 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS4 and HS3 classification.

Usage

hs4_hs3

Format

A data frame with 5205 rows and 6 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs4_isic2	<i>HS4-ISIC2 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS4 and ISIC2 classifications.

Usage

hs4_isic2

Format

A data frame with 5205 rows and 7 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs4_isic3

HS4-ISIC3 Concordance

Description

A dataset containing concordances between HS4 and ISIC3 classifications.

Usage

hs4_isic3

Format

A data frame with 5205 rows and 7 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs4_naics

HS4-NAICS Concordance

Description

A dataset containing concordances between HS4 and NAICS (combined) classifications.

Usage

hs4_naics

Format

A data frame with 8790 rows and 8 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

hs4_sitc1

HS4-SITC1 Concordance

Description

A dataset containing concordances between HS4 and SITC1 classifications.

Usage

hs4_sitc1

Format

A data frame with 5199 rows and 8 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs4_sitc2

HS4-SITC2 Concordance

Description

A dataset containing concordances between HS4 and SITC2 classifications.

Usage

hs4_sitc2

Format

A data frame with 5205 rows and 8 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs4_sitc3

HS4-SITC3 Concordance

Description

A dataset containing concordances between HS4 and SITC3 classifications.

Usage

hs4_sitc3

Format

A data frame with 5206 rows and 8 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs4_sitc4

HS4-SITC4 Concordance

Description

A dataset containing concordances between HS4 and SITC4 classifications.

Usage

hs4_sitc4

Format

A data frame with 5205 rows and 8 variables:

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_bec4	<i>HS5-BEC4 Concordance</i>
----------	-----------------------------

Description

A dataset containing concordances between HS5 and BEC4 classifications.

Usage

hs5_bec4

Format

A data frame with 5,511 rows and 6 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_desc	<i>HS5 Description</i>
----------	------------------------

Description

A dataset containing the description of products under the HS5 classification.

Usage

hs5_desc

Format

A data frame with 6708 rows and 2 variables:

code HS5 Code

desc HS5 Description

Source

<https://comtrade.un.org/data/cache/classificationH5.json>

hs5_hs0	<i>HS5-HS0 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS5 and HS0 classification.

Usage

hs5_hs0

Format

A data frame with 5388 rows and 6 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_hs1	<i>HS5-HS1 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS5 and HS1 classification.

Usage

hs5_hs1

Format

A data frame with 5388 rows and 6 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_hs2	<i>HS5-HS2 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS5 and HS2 classification.

Usage

hs5_hs2

Format

A data frame with 5388 rows and 6 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_hs3	<i>HS5-HS3 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS5 and HS3 classification.

Usage

hs5_hs3

Format

A data frame with 5388 rows and 6 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_hs4	<i>HS5-HS4 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS5 and HS4 classification.

Usage

hs5_hs4

Format

A data frame with 5388 rows and 6 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_isic2

HS5-ISIC2 Concordance

Description

A dataset containing concordances between HS5 and ISIC2 classifications.

Usage

hs5_isic2

Format

A data frame with 5338 rows and 7 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs5_isic3

HS5-ISIC3 Concordance

Description

A dataset containing concordances between HS5 and ISIC3 classifications.

Usage

hs5_isic3

Format

A data frame with 5338 rows and 7 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs5_naics

HS5-NAICS Concordance

Description

A dataset containing concordances between HS5 and NAICS (combined) classifications.

Usage

hs5_naics

Format

A data frame with 8973 rows and 8 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

hs5_sitc1

HS5-SITC1 Concordance

Description

A dataset containing concordances between HS5 and SITC1 classifications.

Usage

hs5_sitc1

Format

A data frame with 5381 rows and 8 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_sitc2

HS5-SITC2 Concordance

Description

A dataset containing concordances between HS5 and SITC2 classifications.

Usage

hs5_sitc2

Format

A data frame with 5387 rows and 8 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_sitc3

HS5-SITC3 Concordance

Description

A dataset containing concordances between HS5 and SITC3 classifications.

Usage

hs5_sitc3

Format

A data frame with 5387 rows and 8 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs5_sitc4

HS5-SITC4 Concordance

Description

A dataset containing concordances between HS5 and SITC4 classifications.

Usage

hs5_sitc4

Format

A data frame with 5387 rows and 8 variables:

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_bec4

HS6-BEC4 Concordance

Description

A dataset containing concordances between HS6 and BEC4 classifications.

Usage

hs6_bec4

Format

A data frame with 5927 rows and 6 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_desc

HS6 Description

Description

A dataset containing the description of products under the HS6 classification.

Usage

hs6_desc

Format

A data frame with 6939 rows and 2 variables:

code HS6 Code

desc HS6 Description

Source

<https://comtrade.un.org/data/cache/classificationH6.json>

hs6_hs0	<i>HS6-HS0 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS6 and HS0 classification.

Usage

hs6_hs0

Format

A data frame with 5613 rows and 6 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

HS0_6d 6-digit HS0 Code

HS0_4d 4-digit HS0 Code

HS0_2d 2-digit HS0 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_hs1	<i>HS6-HS1 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS6 and HS1 classification.

Usage

hs6_hs1

Format

A data frame with 5613 rows and 6 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

HS1_6d 6-digit HS1 Code

HS1_4d 4-digit HS1 Code

HS1_2d 2-digit HS1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_hs2	<i>HS6-HS2 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS6 and HS2 classification.

Usage

hs6_hs2

Format

A data frame with 5613 rows and 6 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

HS2_6d 6-digit HS2 Code

HS2_4d 4-digit HS2 Code

HS2_2d 2-digit HS2 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_hs3	<i>HS6-HS3 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS6 and HS3 classification.

Usage

hs6_hs3

Format

A data frame with 5613 rows and 6 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

HS3_6d 6-digit HS3 Code

HS3_4d 4-digit HS3 Code

HS3_2d 2-digit HS3 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_hs4

HS6-HS4 Concordance

Description

A dataset containing concordances between HS6 and HS4 classification.

Usage

hs6_hs4

Format

A data frame with 5613 rows and 6 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

HS4_6d 6-digit HS4 Code

HS4_4d 4-digit HS4 Code

HS4_2d 2-digit HS4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_hs5	<i>HS6-HS5 Concordance</i>
---------	----------------------------

Description

A dataset containing concordances between HS6 and HS5 classification.

Usage

hs6_hs5

Format

A data frame with 5613 rows and 6 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

HS5_6d 6-digit HS5 Code

HS5_4d 4-digit HS5 Code

HS5_2d 2-digit HS5 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_isic2	<i>HS6-ISIC2 Concordance</i>
-----------	------------------------------

Description

A dataset containing concordances between HS6 and ISIC2 classifications.

Usage

hs6_isic2

Format

A data frame with 5613 rows and 7 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs6_isic3

HS6-ISIC3 Concordance

Description

A dataset containing concordances between HS6 and ISIC3 classifications.

Usage

hs6_isic3

Format

A data frame with 5613 rows and 7 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs6_naics

HS6-NAICS Concordance

Description

A dataset containing concordances between HS6 and NAICS (combined) classifications.

Usage

hs6_naics

Format

A data frame with 9451 rows and 8 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

hs6_sitc1

HS6-SITC1 Concordance

Description

A dataset containing concordances between HS6 and SITC1 classifications.

Usage

hs6_sitc1

Format

A data frame with 5605 rows and 8 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_sitc2

HS6-SITC2 Concordance

Description

A dataset containing concordances between HS6 and SITC2 classifications.

Usage

hs6_sitc2

Format

A data frame with 5611 rows and 8 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_sitc3

HS6-SITC3 Concordance

Description

A dataset containing concordances between HS6 and SITC3 classifications.

Usage

hs6_sitc3

Format

A data frame with 5611 rows and 8 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs6_sitc4

HS6-SITC4 Concordance

Description

A dataset containing concordances between HS6 and SITC4 classifications.

Usage

hs6_sitc4

Format

A data frame with 5611 rows and 8 variables:

HS6_6d 6-digit HS6 Code

HS6_4d 4-digit HS6 Code

HS6_2d 2-digit HS6 Code

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs_bec4

HS-BEC4 Concordance

Description

A dataset containing concordances between HS and BEC4 classifications.

Usage

hs_bec4

Format

A data frame with 6,830 rows and 6 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs_desc	<i>HS (Combined) Description</i>
---------	----------------------------------

Description

A dataset containing the description of products under the HS (Combined) classification (H0 to H6).

Usage

hs_desc

Format

A data frame with 8261 rows and 2 variables:

code HS Code

desc HS Description

hs_isic2	<i>HS-ISIC2 Concordance</i>
----------	-----------------------------

Description

A dataset containing concordances between HS (combined) and ISIC2 classifications.

Usage

hs_isic2

Format

A data frame with 6542 rows and 7 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

https://wits.worldbank.org/product_concordance.html

hs_isic3

HS-ISIC3 Concordance

Description

A dataset containing concordances between HS (combined) and ISIC3 classifications.

Usage

hs_isic3

Format

A data frame with 6539 rows and 7 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

https://wits.worldbank.org/product_concordance.html

hs_isic31

HS-ISIC3.1 Concordance

Description

A dataset containing concordances between HS (combined) and ISIC3.1 classifications.

Usage

hs_isic31

Format

A data frame with 6,873 rows and 7 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

ISIC3.1_4d 4-digit ISIC3.1 Code

ISIC3.1_3d 3-digit ISIC3.1 Code

ISIC3.1_2d 2-digit ISIC3.1 Code

ISIC3.1_1d 1-digit ISIC3.1 Code

Source

https://wits.worldbank.org/product_concordance.html

hs_isic4

HS-ISIC4 Concordance

Description

A dataset containing concordances between HS (combined) and ISIC4 classifications.

Usage

hs_isic4

Format

A data frame with 22,885 rows and 7 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

ISIC4_4d 4-digit ISIC4 Code

ISIC4_3d 3-digit ISIC4 Code

ISIC4_2d 2-digit ISIC4 Code

ISIC4_1d 1-digit ISIC4 Code

Source

https://wits.worldbank.org/product_concordance.html

hs_naics	<i>HS-NAICS Concordance</i>
----------	-----------------------------

Description

A dataset containing concordances between HS (combined) and NAICS (combined) classifications.

Usage

hs_naics

Format

A data frame with 10399 rows and 8 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

hs_sitc1	<i>HS-SITC1 Concordance</i>
----------	-----------------------------

Description

A dataset containing concordances between HS (combined) and SITC1 classifications.

Usage

hs_sitc1

Format

A data frame with 7683 rows and 8 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

https://wits.worldbank.org/product_concordance.html; <https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs_sitc2	<i>HS-SITC2 Concordance</i>
----------	-----------------------------

Description

A dataset containing concordances between HS (combined) and SITC2 classifications.

Usage

hs_sitc2

Format

A data frame with 8346 rows and 8 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

https://wits.worldbank.org/product_concordance.html; <https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs_sitc3

HS-SITC3 Concordance

Description

A dataset containing concordances between HS (combined) and SITC3 classifications.

Usage

hs_sitc3

Format

A data frame with 6826 rows and 8 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

Source

https://wits.worldbank.org/product_concordance.html; <https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

hs_sitc4

HS-SITC4 Concordance

Description

A dataset containing concordances between HS (combined) and SITC4 classifications.

Usage

hs_sitc4

Format

A data frame with 6582 rows and 8 variables:

HS_6d 6-digit HS Code

HS_4d 4-digit HS Code

HS_2d 2-digit HS Code

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

Source

https://wits.worldbank.org/product_concordance.html; <https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

isic2_desc

ISIC2 Description

Description

A dataset containing the description of products under the ISIC2 classification.

Usage

isic2_desc

Format

A data frame with 276 rows and 2 variables:

code ISIC2 Code

desc ISIC2 Description

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

isic3.1_desc	<i>ISIC3.1 Description</i>
--------------	----------------------------

Description

A dataset containing the description of products under the ISIC3.1 classification.

Usage

isic3.1_desc

Format

A data frame with 540 rows and 2 variables:

code ISIC3.1 Code

desc ISIC3.1 Description

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

isic31_isic2	<i>ISIC3.1-ISIC2 Concordance</i>
--------------	----------------------------------

Description

A dataset containing concordances between ISIC3.1 and ISIC2 classifications.

Usage

isic31_isic2

Format

A data frame with 636 rows and 8 variables:

ISIC3.1_4d 4-digit ISIC3.1 Code

ISIC3.1_3d 3-digit ISIC3.1 Code

ISIC3.1_2d 2-digit ISIC3.1 Code

ISIC3.1_1d 1-digit ISIC3.1 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

isic31_isic3	<i>ISIC3.1-ISIC3 Concordance</i>
--------------	----------------------------------

Description

A dataset containing concordances between ISIC3.1 and ISIC3 classifications.

Usage

isic31_isic3

Format

A data frame with 316 rows and 8 variables:

ISIC3.1_4d 4-digit ISIC3.1 Code

ISIC3.1_3d 3-digit ISIC3.1 Code

ISIC3.1_2d 2-digit ISIC3.1 Code

ISIC3.1_1d 1-digit ISIC3.1 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

isic3_desc	<i>ISIC3 Description</i>
------------	--------------------------

Description

A dataset containing the description of products under the ISIC3 classification.

Usage

isic3_desc

Format

A data frame with 528 rows and 2 variables:

code ISIC3 Code

desc ISIC3 Description

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

isic3_isic2	<i>ISIC3-ISIC2 Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between ISIC3 and ISIC2 classifications.

Usage

isic3_isic2

Format

A data frame with 585 rows and 8 variables:

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

isic4_desc	<i>ISIC4 Description</i>
------------	--------------------------

Description

A dataset containing the description of products under the ISIC4 classification.

Usage

isic4_desc

Format

A data frame with 766 rows and 2 variables:

code ISIC4 Code

desc ISIC4 Description

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

isic4_isic2	<i>ISIC4-ISIC2 Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between ISIC4 and ISIC2 classifications.

Usage

isic4_isic2

Format

A data frame with 1706 rows and 8 variables:

ISIC4_4d 4-digit ISIC4 Code

ISIC4_3d 3-digit ISIC4 Code

ISIC4_2d 2-digit ISIC4 Code

ISIC4_1d 1-digit ISIC4 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

isic4_isic3

ISIC4-ISIC3 Concordance

Description

A dataset containing concordances between ISIC4 and ISIC3 classifications.

Usage

isic4_isic3

Format

A data frame with 798 rows and 8 variables:

ISIC4_4d 4-digit ISIC4 Code

ISIC4_3d 3-digit ISIC4 Code

ISIC4_2d 2-digit ISIC4 Code

ISIC4_1d 1-digit ISIC4 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

isic4_isic31

ISIC4-ISIC3.1 Concordance

Description

A dataset containing concordances between ISIC4 and ISIC3.1 classifications.

Usage

isic4_isic31

Format

A data frame with 737 rows and 8 variables:

ISIC4_4d 4-digit ISIC4 Code

ISIC4_3d 3-digit ISIC4 Code

ISIC4_2d 2-digit ISIC4 Code

ISIC4_1d 1-digit ISIC4 Code

ISIC3.1_4d 4-digit ISIC3.1 Code

ISIC3.1_3d 3-digit ISIC3.1 Code

ISIC3.1_2d 2-digit ISIC3.1 Code

ISIC3.1_1d 1-digit ISIC3.1 Code

Source

<https://unstats.un.org/unsd/classifications/Econ/ISIC>

naics2002_desc

NAICS 2002 Description

Description

A dataset containing the description of products under the NAICS 2002 classification.

Usage

naics2002_desc

Format

A data frame with 2341 rows and 2 variables:

code NAICS 2002 Code

desc NAICS 2002 Description

Source

<https://www.census.gov/eos/www/naics/>

naics2002_isic31	<i>NAICS2002-ISIC3.1 Concordance</i>
------------------	--------------------------------------

Description

A dataset containing concordances between NAICS2002 and ISIC3.1 classifications.

Usage

naics2002_isic31

Format

A data frame with 1960 rows and 9 variables:

NAICS2002_6d 6-digit NAICS2002 Code

NAICS2002_5d 5-digit NAICS2002 Code

NAICS2002_4d 4-digit NAICS2002 Code

NAICS2002_3d 3-digit NAICS2002 Code

NAICS2002_2d 2-digit NAICS2002 Code

ISIC3.1_4d 4-digit ISIC3.1 Code

ISIC3.1_3d 3-digit ISIC3.1 Code

ISIC3.1_2d 2-digit ISIC3.1 Code

ISIC3.1_1d 1-digit ISIC3.1 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

naics2007_desc	<i>NAICS 2007 Description</i>
----------------	-------------------------------

Description

A dataset containing the description of products under the NAICS 2007 classification.

Usage

naics2007_desc

Format

A data frame with 2328 rows and 2 variables:

code NAICS 2007 Code

desc NAICS 2007 Description

Source

<https://www.census.gov/eos/www/naics/>

naics2007_isic4

NAICS2007-ISIC4 Concordance

Description

A dataset containing concordances between NAICS2007 and ISIC4 classifications.

Usage

naics2007_isic4

Format

A data frame with 1765 rows and 9 variables:

NAICS2007_6d 6-digit NAICS2007 Code

NAICS2007_5d 5-digit NAICS2007 Code

NAICS2007_4d 4-digit NAICS2007 Code

NAICS2007_3d 3-digit NAICS2007 Code

NAICS2007_2d 2-digit NAICS2007 Code

ISIC4_4d 4-digit ISIC4 Code

ISIC4_3d 3-digit ISIC4 Code

ISIC4_2d 2-digit ISIC4 Code

ISIC4_1d 1-digit ISIC4 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

naics2007_naics2002 *NAICS2007-NAICS2002 Concordance*

Description

A dataset containing concordances between NAICS2007 and NAICS2002 classification.

Usage

naics2007_naics2002

Format

A data frame with 1200 rows and 10 variables:

NAICS2007_6d 6-digit NAICS2007 Code

NAICS2007_5d 5-digit NAICS2007 Code

NAICS2007_4d 4-digit NAICS2007 Code

NAICS2007_3d 3-digit NAICS2007 Code

NAICS2007_2d 2-digit NAICS2007 Code

NAICS2002_6d 6-digit NAICS2002 Code

NAICS2002_5d 5-digit NAICS2002 Code

NAICS2002_4d 4-digit NAICS2002 Code

NAICS2002_3d 3-digit NAICS2002 Code

NAICS2002_2d 2-digit NAICS2002 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

naics2012_desc *NAICS 2012 Description*

Description

A dataset containing the description of products under the NAICS 2012 classification.

Usage

naics2012_desc

Format

A data frame with 2229 rows and 2 variables:

code NAICS 2012 Code

desc NAICS 2012 Description

Source

https://data.bls.gov/cew/apps/bls_naics/v2/bls_naics_app.htm#tab=download&naics=2012

naics2012_isic4	<i>NAICS2012-ISIC4 Concordance</i>
-----------------	------------------------------------

Description

A dataset containing concordances between NAICS2012 and ISIC4 classifications.

Usage

naics2012_isic4

Format

A data frame with 1663 rows and 9 variables:

NAICS2012_6d 6-digit NAICS2012 Code

NAICS2012_5d 5-digit NAICS2012 Code

NAICS2012_4d 4-digit NAICS2012 Code

NAICS2012_3d 3-digit NAICS2012 Code

NAICS2012_2d 2-digit NAICS2012 Code

ISIC4_4d 4-digit ISIC4 Code

ISIC4_3d 3-digit ISIC4 Code

ISIC4_2d 2-digit ISIC4 Code

ISIC4_1d 1-digit ISIC4 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

naics2012_naics2002 *NAICS2012-NAICS2002 Concordance*

Description

A dataset containing concordances between NAICS2012 and NAICS2002 classification.

Usage

naics2012_naics2002

Format

A data frame with 1184 rows and 6 variables:

NAICS2012_6d 6-digit NAICS2012 Code

NAICS2012_5d 5-digit NAICS2012 Code

NAICS2012_4d 4-digit NAICS2012 Code

NAICS2012_3d 3-digit NAICS2012 Code

NAICS2012_2d 2-digit NAICS2012 Code

NAICS2002_6d 6-digit NAICS2002 Code

NAICS2002_5d 5-digit NAICS2002 Code

NAICS2002_4d 4-digit NAICS2002 Code

NAICS2002_3d 3-digit NAICS2002 Code

NAICS2002_2d 2-digit NAICS2002 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

naics2012_naics2007 *NAICS2012-NAICS2007 Concordance*

Description

A dataset containing concordances between NAICS2012 and NAICS2007 classification.

Usage

naics2012_naics2007

Format

A data frame with 1184 rows and 10 variables:

NAICS2012_6d 6-digit NAICS2012 Code

NAICS2012_5d 5-digit NAICS2012 Code

NAICS2012_4d 4-digit NAICS2012 Code

NAICS2012_3d 3-digit NAICS2012 Code

NAICS2012_2d 2-digit NAICS2012 Code

NAICS2007_6d 6-digit NAICS2007 Code

NAICS2007_5d 5-digit NAICS2007 Code

NAICS2007_4d 4-digit NAICS2007 Code

NAICS2007_3d 3-digit NAICS2007 Code

NAICS2007_2d 2-digit NAICS2007 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

naics2017_desc	<i>NAICS 2017 Description</i>
----------------	-------------------------------

Description

A dataset containing the description of products under the NAICS 2017 classification.

Usage

naics2017_desc

Format

A data frame with 2217 rows and 2 variables:

code NAICS 2017 Code

desc NAICS 2017 Description

Source

https://data.bls.gov/cew/apps/bls_naics/v2/bls_naics_app.htm#tab=download&naics=2017

naics2017_isic4 *NAICS2017-ISIC4 Concordance*

Description

A dataset containing concordances between NAICS2017 and ISIC4 classifications.

Usage

naics2017_isic4

Format

A data frame with 1653 rows and 9 variables:

NAICS2017_6d 6-digit NAICS2017 Code

NAICS2017_5d 5-digit NAICS2017 Code

NAICS2017_4d 4-digit NAICS2017 Code

NAICS2017_3d 3-digit NAICS2017 Code

NAICS2017_2d 2-digit NAICS2017 Code

ISIC4_4d 4-digit ISIC4 Code

ISIC4_3d 3-digit ISIC4 Code

ISIC4_2d 2-digit ISIC4 Code

ISIC4_1d 1-digit ISIC4 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

naics2017_naics2002 *NAICS2017-NAICS2002 Concordance*

Description

A dataset containing concordances between NAICS2017 and NAICS2002 classification.

Usage

naics2017_naics2002

Format

A data frame with 1212 rows and 10 variables:

NAICS2017_6d 6-digit NAICS2017 Code

NAICS2017_5d 5-digit NAICS2017 Code

NAICS2017_4d 4-digit NAICS2017 Code

NAICS2017_3d 3-digit NAICS2017 Code

NAICS2017_2d 2-digit NAICS2017 Code

NAICS2002_6d 6-digit NAICS2002 Code

NAICS2002_5d 5-digit NAICS2002 Code

NAICS2002_4d 4-digit NAICS2002 Code

NAICS2002_3d 3-digit NAICS2002 Code

NAICS2002_2d 2-digit NAICS2002 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

naics2017_naics2007 *NAICS2017-NAICS2007 Concordance*

Description

A dataset containing concordances between NAICS2017 and NAICS2007 classification.

Usage

naics2017_naics2007

Format

A data frame with 1188 rows and 10 variables:

NAICS2017_6d 6-digit NAICS2017 Code

NAICS2017_5d 5-digit NAICS2017 Code

NAICS2017_4d 4-digit NAICS2017 Code

NAICS2017_3d 3-digit NAICS2017 Code

NAICS2017_2d 2-digit NAICS2017 Code

NAICS2007_6d 6-digit NAICS2007 Code

NAICS2007_5d 5-digit NAICS2007 Code

NAICS2007_4d 4-digit NAICS2007 Code

NAICS2007_3d 3-digit NAICS2007 Code

NAICS2007_2d 2-digit NAICS2007 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

naics2017_naics2012 *NAICS2017-NAICS2012 Concordance*

Description

A dataset containing concordances between NAICS2017 and NAICS2012 classification.

Usage

naics2017_naics2012

Format

A data frame with 1069 rows and 10 variables:

NAICS2017_6d 6-digit NAICS2017 Code

NAICS2017_5d 5-digit NAICS2017 Code

NAICS2017_4d 4-digit NAICS2017 Code

NAICS2017_3d 3-digit NAICS2017 Code

NAICS2017_2d 2-digit NAICS2017 Code

NAICS2012_6d 6-digit NAICS2012 Code

NAICS2012_5d 5-digit NAICS2012 Code

NAICS2012_4d 4-digit NAICS2012 Code

NAICS2012_3d 3-digit NAICS2012 Code

NAICS2012_2d 2-digit NAICS2012 Code

Source

<https://www.census.gov/eos/www/naics/concordances/concordances.html>

`sigma_hs0`*Sigma Table (3-Digit HS0)*

Description

A dataset containing import demand elasticities by HS0 3-digit codes from Broda and Weinstein (QJE, 2006) for 73 countries.

Usage`sigma_hs0`**Format**

A data frame with 11293 rows and 4 variables:

iso3c ISO 3-letter Country Code

HS0_3d 3-digit HS0 Code

HS0_2d 2-digit HS0 Code

sigma Import Demand Elasticity

Source

<http://www.columbia.edu/~dew35/TradeElasticities/TradeElasticities.html>

References

C. Broda and D. Weinstein, "Globalization and the Gains from Variety," Quarterly Journal of Economics, Volume 121, Issue 2 - May 2006.

`sigma_sitc3`*Sigma Table (5-Digit SITC3)*

Description

A dataset containing import demand elasticities for the United States by 5-digit SITC3 codes from Broda and Weinstein (QJE, 2006).

Usage`sigma_sitc3`

Format

A data frame with 2716 rows and 7 variables:

iso3c ISO 3-letter Country Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

sigma Import Demand Elasticity

Source

<http://www.columbia.edu/~dew35/TradeElasticities/TradeElasticities.html>

References

C. Broda and D. Weinstein, "Globalization and the Gains from Variety," Quarterly Journal of Economics, Volume 121, Issue 2 - May 2006.

sitc1_bec4

SITC1-BEC4 Concordance

Description

A dataset containing concordances between SITC1 and BEC4 classifications.

Usage

sitc1_bec4

Format

A data frame with 1,787 rows and 8 variables:

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

sitc1_desc	<i>SITC1 Description</i>
------------	--------------------------

Description

A dataset containing the description of products under the SITC1 classification.

Usage

sitc1_desc

Format

A data frame with 3024 rows and 2 variables:

code SITC1 Code

desc SITC1 Description

Source

<https://comtrade.un.org/data/cache/classificationS1.json>

sitc1_naics	<i>SITC1-NAICS Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC1 and NAICS (combined) classification via HS (combined).

Usage

sitc1_naics

Format

A data frame with 3797 rows and 10 variables:

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

https://wits.worldbank.org/product_concordance.html; <https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>; Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

sitc2_bec4

SITC2-BEC4 Concordance

Description

A dataset containing concordances between SITC2 and BEC4 classifications.

Usage

sitc2_bec4

Format

A data frame with 2,597 rows and 8 variables:

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

sitc2_desc	<i>SITC2 Description</i>
------------	--------------------------

Description

A dataset containing the description of products under the SITC2 classification.

Usage

sitc2_desc

Format

A data frame with 3988 rows and 2 variables:

code SITC2 Code

desc SITC2 Description

Source

<https://comtrade.un.org/data/cache/classificationS2.json>

sitc2_isic2	<i>SITC2-ISIC2 Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC2 and ISIC2 classifications.

Usage

sitc2_isic2

Format

A data frame with 1687 rows and 9 variables:

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

ISIC2_4d 4-digit ISIC2 Code

ISIC2_3d 3-digit ISIC2 Code

ISIC2_2d 2-digit ISIC2 Code

ISIC2_1d 1-digit ISIC2 Code

Source

https://wits.worldbank.org/product_concordance.html

sitc2_naics	<i>SITC2-NAICS Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC2 and NAICS (combined) classification via HS (combined).

Usage

sitc2_naics

Format

A data frame with 5065 rows and 10 variables:

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

https://wits.worldbank.org/product_concordance.html; <https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>; Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

sitc2_rauch	<i>SITC2-Rauch Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC2 and Rauch's classification.

Usage

sitc2_rauch

Format

A data frame with 1189 rows and 3 variables:

SITC2 SITC2 Code

CON Conservative classification

LIB Liberal classification

Source

Data from Jon Haveman's International Trade Data page: <http://www.macalester.edu/research/economics/PAGE/HAVEMAN/Trade.Resources/TradeData.html#Rauch>

sitc2_sitc1	<i>SITC2-SITC1 Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC2 and SITC1 classification.

Usage

sitc2_sitc1

Format

A data frame with 1833 rows and 10 variables:

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

sitc3_bec4

SITC3-BEC4 Concordance

Description

A dataset containing concordances between SITC3 and BEC4 classifications.

Usage

sitc3_bec4

Format

A data frame with 3,404 rows and 8 variables:

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

sitc3_desc	<i>SITC3 Description</i>
------------	--------------------------

Description

A dataset containing the description of products under the SITC3 classification.

Usage

sitc3_desc

Format

A data frame with 5951 rows and 2 variables:

code SITC3 Code

desc SITC3 Description

Source

<https://comtrade.un.org/data/cache/classificationS3.json>

sitc3_isic3	<i>SITC3-ISIC3 Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC3 and ISIC3 classifications.

Usage

sitc3_isic3

Format

A data frame with 3069 rows and 9 variables:

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

Source

<https://ec.europa.eu/eurostat>

sitc3_naics	<i>SITC3-NAICS Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC3 and NAICS (combined) classification via HS (combined).

Usage

sitc3_naics

Format

A data frame with 6024 rows and 10 variables:

SITC3_5d 5-digit SITC3 Code
SITC3_4d 4-digit SITC3 Code
SITC3_3d 3-digit SITC3 Code
SITC3_2d 2-digit SITC3 Code
SITC3_1d 1-digit SITC3 Code
NAICS_6d 6-digit NAICS Code
NAICS_5d 5-digit NAICS Code
NAICS_4d 4-digit NAICS Code
NAICS_3d 3-digit NAICS Code
NAICS_2d 2-digit NAICS Code

Source

https://wits.worldbank.org/product_concordance.html; <https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>; Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

sitc3_sitc1	<i>SITC3-SITC1 Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC3 and SITC1 classification.

Usage

sitc3_sitc1

Format

A data frame with 3118 rows and 10 variables:

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

sitc3_sitc2	<i>SITC3-SITC2 Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC3 and SITC2 classification.

Usage

sitc3_sitc2

Format

A data frame with 3121 rows and 10 variables:

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

sitc4_bec4

SITC4-BEC4 Concordance

Description

A dataset containing concordances between SITC4 and BEC4 classifications.

Usage

sitc4_bec4

Format

A data frame with 2,972 rows and 8 variables:

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

BEC4_3d 3-digit BEC4 Code

BEC4_2d 2-digit BEC4 Code

BEC4_1d 1-digit BEC4 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

sitc4_desc	<i>SITC4 Description</i>
------------	--------------------------

Description

A dataset containing the description of products under the SITC4 classification.

Usage

sitc4_desc

Format

A data frame with 7239 rows and 2 variables:

code SITC4 Code

desc SITC4 Description

Source

<https://comtrade.un.org/data/cache/classificationS4.json>

sitc4_naics	<i>SITC4-NAICS Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC4 and NAICS (combined) classification via HS (combined).

Usage

sitc4_naics

Format

A data frame with 5714 rows and 10 variables:

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

NAICS_6d 6-digit NAICS Code

NAICS_5d 5-digit NAICS Code

NAICS_4d 4-digit NAICS Code

NAICS_3d 3-digit NAICS Code

NAICS_2d 2-digit NAICS Code

Source

https://wits.worldbank.org/product_concordance.html; <https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>; Pierce and Schott (2009, 2018), https://spinup-000d1a-wp-offload-media.s3.amazonaws.com/faculty/wp-content/uploads/sites/47/2019/06/hssicnaics_20181015.zip

sitc4_sitc1

SITC4-SITC1 Concordance

Description

A dataset containing concordances between SITC4 and SITC1 classification.

Usage

sitc4_sitc1

Format

A data frame with 3199 rows and 10 variables:

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

SITC1_5d 5-digit SITC1 Code

SITC1_4d 4-digit SITC1 Code

SITC1_3d 3-digit SITC1 Code

SITC1_2d 2-digit SITC1 Code

SITC1_1d 1-digit SITC1 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

sitc4_sitc2	<i>SITC4-SITC2 Concordance</i>
-------------	--------------------------------

Description

A dataset containing concordances between SITC4 and SITC2 classification.

Usage

sitc4_sitc2

Format

A data frame with 3271 rows and 10 variables:

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

SITC2_5d 5-digit SITC2 Code

SITC2_4d 4-digit SITC2 Code

SITC2_3d 3-digit SITC2 Code

SITC2_2d 2-digit SITC2 Code

SITC2_1d 1-digit SITC2 Code

Source

<https://unstats.un.org/unsd/trade/classifications/correspondence-tables.asp>

sitc4_sitc3	<i>A dataset containing concordances between SITC4 and SITC3 classification.</i>
-------------	--

Description

A dataset containing concordances between SITC4 and SITC3 classification.

Usage

sitc4_sitc3

Format

A data frame with 3488 rows and 10 variables:

SITC4_5d 5-digit SITC4 Code

SITC4_4d 4-digit SITC4 Code

SITC4_3d 3-digit SITC4 Code

SITC4_2d 2-digit SITC4 Code

SITC4_1d 1-digit SITC4 Code

SITC3_5d 5-digit SITC3 Code

SITC3_4d 4-digit SITC3 Code

SITC3_3d 3-digit SITC3 Code

SITC3_2d 2-digit SITC3 Code

SITC3_1d 1-digit SITC3 Code

Source

<https://unstats.un.org/unsd/trade/sitcrev4.htm>

upstream

Upstreamness and Downstreamness Table

Description

A dataset containing upstreamness and downstreamness estimates for 41 countries, 35 industries, and 17 years from Antras and Chor (2018).

Usage

upstream

Format

A data frame with 24,395 rows and 7 variables:

YEAR Year

ISO3C ISO 3-letter Country Code

WIOT2013_n WIOT 2013 Industry Code

GVC_Ui Upstreamness (net inventories correction)

GVC_FUGOi Final-use to gross-output (net inventories correction)

GVC_Di Downstreamness (net inventories correction)

GVC_VAGOi Value-added to gross-output (net inventories correction)

Source

[https://scholar.harvard.edu/antras/publications/measurement-upstreamness-and-downstreamness-global-](https://scholar.harvard.edu/antras/publications/measurement-upstreamness-and-downstreamness-global)

References

Antras, Pol, and Davin Chor. 2018. "On the Measurement of Upstreamness and Downstreamness in Global Value Chains." *World Trade Evolution: Growth, Productivity and Employment*, 126-194. Taylor & Francis Group.

upstream_us_detailed *US Detailed Upstreamness Table*

Description

A dataset containing upstreamness estimates for 426 industries in 2002 and 405 industries in 2007 and 2012 based on Antras and Chor (2012).

Usage

upstream_us_detailed

Format

A data frame with 1,236 rows and 4 variables:

YEAR Year

CODE BEA Industry Code

GVC_Ui Upstreamness (net inventories correction)

BEA_CLASS Year of BEA Industry Code

Source

<https://scholar.harvard.edu/antras/publications/measuring-upstreamness-production-and-trade-flows>

References

Antras, Pol, and Davin Chor. 2012. "Measuring the Upstreamness of Production and Trade Flows." *American Economic Review: Papers and Proceedings*, Volume 102, Issue 3: 412-416.

`wiod_2013`*ISIC3-WIOT2013 Concordance*

Description

A dataset containing concordances between ISIC3 and WIOT2013 industry codes.

Usage`wiod_2013`**Format**

A data frame with 585 rows and 6 variables:

ISIC3_4d 4-digit ISIC3 Code

ISIC3_3d 3-digit ISIC3 Code

ISIC3_2d 2-digit ISIC3 Code

ISIC3_1d 1-digit ISIC3 Code

WIOT2013_c WIOT 2013 Character Code

WIOT2013_n WIOT 2013 Numeric Code

Source

<http://www.wiod.org/release13>

Index

* datasets

bea2002_desc, 5
bea2002_naics2002, 6
bea2007_naics2007, 7
bea2012_desc, 7
bea2012_naics2012, 8
bec4_desc, 8
hs0_bec4, 43
hs0_desc, 43
hs0_isic2, 44
hs0_isic3, 44
hs0_naics, 45
hs0_sitc1, 46
hs0_sitc2, 46
hs0_sitc3, 47
hs0_sitc4, 48
hs1_bec4, 48
hs1_desc, 49
hs1_hs0, 50
hs1_isic2, 50
hs1_isic3, 51
hs1_naics, 52
hs1_sitc1, 52
hs1_sitc2, 53
hs1_sitc3, 54
hs1_sitc4, 54
hs2_bec4, 55
hs2_desc, 56
hs2_hs0, 56
hs2_hs1, 57
hs2_isic2, 57
hs2_isic3, 58
hs2_naics, 59
hs2_sitc1, 59
hs2_sitc2, 60
hs2_sitc3, 61
hs2_sitc4, 61
hs3_bec4, 62
hs3_desc, 63

hs3_hs0, 63
hs3_hs1, 64
hs3_hs2, 64
hs3_isic2, 65
hs3_isic3, 65
hs3_naics, 66
hs3_sitc1, 67
hs3_sitc2, 67
hs3_sitc3, 68
hs3_sitc4, 69
hs4_bec4, 69
hs4_desc, 70
hs4_hs0, 71
hs4_hs1, 71
hs4_hs2, 72
hs4_hs3, 72
hs4_isic2, 73
hs4_isic3, 74
hs4_naics, 74
hs4_sitc1, 75
hs4_sitc2, 76
hs4_sitc3, 76
hs4_sitc4, 77
hs5_bec4, 78
hs5_desc, 78
hs5_hs0, 79
hs5_hs1, 79
hs5_hs2, 80
hs5_hs3, 80
hs5_hs4, 81
hs5_isic2, 82
hs5_isic3, 82
hs5_naics, 83
hs5_sitc1, 84
hs5_sitc2, 84
hs5_sitc3, 85
hs5_sitc4, 86
hs6_bec4, 86
hs6_desc, 87

hs6_hs0, 88
 hs6_hs1, 88
 hs6_hs2, 89
 hs6_hs3, 89
 hs6_hs4, 90
 hs6_hs5, 91
 hs6_isic2, 91
 hs6_isic3, 92
 hs6_naics, 93
 hs6_sitc1, 93
 hs6_sitc2, 94
 hs6_sitc3, 95
 hs6_sitc4, 95
 hs_bec4, 96
 hs_desc, 97
 hs_isic2, 97
 hs_isic3, 98
 hs_isic31, 98
 hs_isic4, 99
 hs_naics, 100
 hs_sitc1, 100
 hs_sitc2, 101
 hs_sitc3, 102
 hs_sitc4, 102
 isic2_desc, 103
 isic3.1_desc, 104
 isic31_isic2, 104
 isic31_isic3, 105
 isic3_desc, 105
 isic3_isic2, 106
 isic4_desc, 107
 isic4_isic2, 107
 isic4_isic3, 108
 isic4_isic31, 108
 naics2002_desc, 109
 naics2002_isic31, 110
 naics2007_desc, 110
 naics2007_isic4, 111
 naics2007_naics2002, 112
 naics2012_desc, 112
 naics2012_isic4, 113
 naics2012_naics2002, 114
 naics2012_naics2007, 114
 naics2017_desc, 115
 naics2017_isic4, 116
 naics2017_naics2002, 116
 naics2017_naics2007, 117
 naics2017_naics2012, 118
 sigma_hs0, 119
 sigma_sitc3, 119
 sitc1_bec4, 120
 sitc1_desc, 121
 sitc1_naics, 121
 sitc2_bec4, 122
 sitc2_desc, 123
 sitc2_isic2, 123
 sitc2_naics, 124
 sitc2_rauch, 125
 sitc2_sitc1, 125
 sitc3_bec4, 126
 sitc3_desc, 127
 sitc3_isic3, 127
 sitc3_naics, 128
 sitc3_sitc1, 129
 sitc3_sitc2, 129
 sitc4_bec4, 130
 sitc4_desc, 131
 sitc4_naics, 131
 sitc4_sitc1, 132
 sitc4_sitc2, 133
 sitc4_sitc3, 133
 upstream, 134
 upstream_us_detailed, 135
 wiod_2013, 136
 bea2002_desc, 5
 bea2002_naics2002, 6
 bea2007_naics2007, 7
 bea2012_desc, 7
 bea2012_naics2012, 8
 bec4_desc, 8
 concord, 9
 concord_hs, 11
 concord_hs_bec, 12
 concord_hs_isic, 14
 concord_hs_naics, 15
 concord_hs_sitc, 17
 concord_isic, 19
 concord_isic_bec, 21
 concord_naics, 22
 concord_naics_bec, 23
 concord_naics_isic, 25
 concord_sitc, 26
 concord_sitc_bec, 28
 concord_sitc_isic, 29
 concord_sitc_naics, 31

get_desc, 33
get_intermediate, 35
get_proddiff, 36
get_product, 38
get_sigma, 39
get_upstream, 41

hs0_bec4, 43
hs0_desc, 43
hs0_isic2, 44
hs0_isic3, 44
hs0_naics, 45
hs0_sitc1, 46
hs0_sitc2, 46
hs0_sitc3, 47
hs0_sitc4, 48
hs1_bec4, 48
hs1_desc, 49
hs1_hs0, 50
hs1_isic2, 50
hs1_isic3, 51
hs1_naics, 52
hs1_sitc1, 52
hs1_sitc2, 53
hs1_sitc3, 54
hs1_sitc4, 54
hs2_bec4, 55
hs2_desc, 56
hs2_hs0, 56
hs2_hs1, 57
hs2_isic2, 57
hs2_isic3, 58
hs2_naics, 59
hs2_sitc1, 59
hs2_sitc2, 60
hs2_sitc3, 61
hs2_sitc4, 61
hs3_bec4, 62
hs3_desc, 63
hs3_hs0, 63
hs3_hs1, 64
hs3_hs2, 64
hs3_isic2, 65
hs3_isic3, 65
hs3_naics, 66
hs3_sitc1, 67
hs3_sitc2, 67
hs3_sitc3, 68
hs3_sitc4, 69
hs4_bec4, 69
hs4_desc, 70
hs4_hs0, 71
hs4_hs1, 71
hs4_hs2, 72
hs4_hs3, 72
hs4_isic2, 73
hs4_isic3, 74
hs4_naics, 74
hs4_sitc1, 75
hs4_sitc2, 76
hs4_sitc3, 76
hs4_sitc4, 77
hs5_bec4, 78
hs5_desc, 78
hs5_hs0, 79
hs5_hs1, 79
hs5_hs2, 80
hs5_hs3, 80
hs5_hs4, 81
hs5_isic2, 82
hs5_isic3, 82
hs5_naics, 83
hs5_sitc1, 84
hs5_sitc2, 84
hs5_sitc3, 85
hs5_sitc4, 86
hs6_bec4, 86
hs6_desc, 87
hs6_hs0, 88
hs6_hs1, 88
hs6_hs2, 89
hs6_hs3, 89
hs6_hs4, 90
hs6_hs5, 91
hs6_isic2, 91
hs6_isic3, 92
hs6_naics, 93
hs6_sitc1, 93
hs6_sitc2, 94
hs6_sitc3, 95
hs6_sitc4, 95
hs_bec4, 96
hs_desc, 97
hs_isic2, 97
hs_isic3, 98
hs_isic31, 98
hs_isic4, 99

hs_naics, 100
hs_sitc1, 100
hs_sitc2, 101
hs_sitc3, 102
hs_sitc4, 102

isic2_desc, 103
isic3.1_desc, 104
isic31_isic2, 104
isic31_isic3, 105
isic3_desc, 105
isic3_isic2, 106
isic4_desc, 107
isic4_isic2, 107
isic4_isic3, 108
isic4_isic31, 108

naics2002_desc, 109
naics2002_isic31, 110
naics2007_desc, 110
naics2007_isic4, 111
naics2007_naics2002, 112
naics2012_desc, 112
naics2012_isic4, 113
naics2012_naics2002, 114
naics2012_naics2007, 114
naics2017_desc, 115
naics2017_isic4, 116
naics2017_naics2002, 116
naics2017_naics2007, 117
naics2017_naics2012, 118

sigma_hs0, 119
sigma_sitc3, 119
sitc1_bec4, 120
sitc1_desc, 121
sitc1_naics, 121
sitc2_bec4, 122
sitc2_desc, 123
sitc2_isic2, 123
sitc2_naics, 124
sitc2_rauch, 125
sitc2_sitc1, 125
sitc3_bec4, 126
sitc3_desc, 127
sitc3_isic3, 127
sitc3_naics, 128
sitc3_sitc1, 129
sitc3_sitc2, 129
sitc4_bec4, 130
sitc4_desc, 131
sitc4_naics, 131
sitc4_sitc1, 132
sitc4_sitc2, 133
sitc4_sitc3, 133

upstream, 134
upstream_us_detailed, 135

wiod_2013, 136