

Package: wfe (via r-universe)

September 12, 2024

Type Package

Title Weighted Linear Fixed Effects Regression Models for Causal Inference

Version 1.9.1

Date 2019-02-13

Description Provides a computationally efficient way of fitting weighted linear fixed effects estimators for causal inference with various weighting schemes. Weighted linear fixed effects estimators can be used to estimate the average treatment effects under different identification strategies. This includes stratified randomized experiments, matching and stratification for observational studies, first differencing, and difference-in-differences. The package implements methods described in Imai and Kim (2017) "When should We Use Linear Fixed Effects Regression Models for Causal Inference with Longitudinal Data?", available at <https://imai.fas.harvard.edu/research/FEmatch.html>.

License GPL(>= 2)

Imports utils, arm, Matrix, MASS, methods

Depends R (>= 3.2.0)

Encoding UTF-8

LazyData true

BugReports <https://github.com/insongkim/wfe/issues>

Repository <https://insongkim.r-universe.dev>

RemoteUrl <https://github.com/insongkim/wfe>

RemoteRef HEAD

RemoteSha d7c0b7668a3cb62bbd0b048667924f8e4df75449

Contents

pwfe	2
wfe	7

pwfe	<i>Fitting the Weighted Fixed Effects Model with Propensity Score Weighting</i>
------	---

Description

pwfe is used to fit weighted fixed effects model for causal inference after transforming outcome variable based on estimated propensity score. pwfe also derives the regression weights for different causal quantity of interest.

Usage

```
pwfe(formula, treat = "treat.name", outcome, data, pscore = NULL,
      unit.index, time.index = NULL, method = "unit", within.unit = TRUE,
      qoi = c("ate", "att"), estimator = NULL, C.it = NULL,
      White = TRUE, White.alpha = 0.05,
      hetero.se = TRUE, auto.se = TRUE, unbiased.se = FALSE,
      verbose = TRUE)
```

Arguments

formula	a symbolic description of the model for estimating propensity score. The formula should not include dummies for fixed effects. The details of model specifications are given under 'Details'.
treat	a character string indicating the name of treatment variable used in the models. The treatment should be binary indicator (integer with 0 for the control group and 1 for the treatment group).
outcome	a character string indicating the name of outcome variable.
data	data frame containing the variables in the model.
pscore	an optional character string indicating the name of estimated propensity score. Note that pre-specified propensity score should be bounded away from zero and one.
unit.index	a character string indicating the name of unit variable used in the models. The index of unit should be factor.
time.index	a character string indicating the name of time variable used in the models. The index of time should be factor.
method	method for weighted fixed effects regression, either unit for unit fixed effects; time for time fixed effects. The default is unit.
within.unit	a logical value indicating whether propensity score is estimated within unit. The default is TRUE.
qoi	one of "ate" or "att". The default is "ate". "fd" and "did" are not compatible with pwfe.

<code>estimator</code>	an optional character string "fd" indicating whether the first-difference estimator will be used.
<code>C.it</code>	an optional non-negative numeric vector specifying relative weights for each unit of analysis.
<code>White</code>	a logical value indicating whether White misspecification statistics should be calculated. The default is TRUE.
<code>White.alpha</code>	level of functional specification test. See White (1980) and Imai . The default is 0.05.
<code>hetero.se</code>	a logical value indicating whether heteroskedasticity across units is allowed in calculating standard errors. The default is TRUE.
<code>auto.se</code>	a logical value indicating whether arbitrary autocorrelation is allowed in calculating standard errors. The default is TRUE.
<code>unbiased.se</code>	logical. If TRUE, bias-adjusted heteroskedasticity-robust standard errors are used. See Stock and Watson (2008). Should be used only for balanced panel. The default is FALSE.
<code>verbose</code>	logical. If TRUE, helpful messages along with a progress report of the weight calculation are printed on the screen. The default is TRUE.

Details

To fit the weighted unit (time) fixed effects model with propensity score weighting, use the syntax for the formula, $\sim x_1 + x_2$, where x_1 and x_2 are unit (time) varying covariates.

One can provide his/her own estimated pscore which can be used to transform the outcome variable. If so, one does not need to specify formula.

If pscore is not provided, `bayesglm` will be used to estimate propensity scores. If `within.unit = TRUE`, propensity score will be separately estimated within time (unit) when method is unit (time). Otherwise, propensity score will be estimated on entire data at once.

The estimated propensity scores will be used to transform the outcome variable as described in Imai and Kim (2018).

`pwfe` calculates weights based on different underlying causal quantity of interest: Average Treatment Effect (`qoi = "ate"`) or Average Treatment Effect for the Treated (`qoi = "att"`).

One can further set estimating methods: First-Difference (`estimator = "fd"`) or Difference-in-differences (`estimator = "did"`).

To specify different ex-ante weights for each unit of analysis, use non-negative weights `C.it`. For instance, using the survey weights for `C.it` enables the estimation for the average treatment effect for the target population.

Value

`pwfe` returns an object of class "pwfe", a list that contains the components listed below.

The function `summary` (i.e., `summary.pwfe`) can be used to obtain a table of the results.

<code>coefficients</code>	a named vector of coefficients
<code>residuals</code>	the residuals, that is <code>respons</code> minus fitted values

df	the degree of freedom
W	weight matrix calculated from the model. Row and column indices can be found from unit.name, time.name.
call	the matched call
causal	causal quantity of interest
estimator	the estimating method
unit.name	a vector containing unique unit names
unit.index	a vector containing unique unit index number
time.name	a vector containing unique time names
time.index	a vector containing unique time index number
method	call of the method used
vcov	the variance covariance matrix
White.alpha	the alpha level for White specification test
White.pvalue	the p-value for White specification test
White.stat	the White statistics
x	the design matrix
y	the response vector
mf	the model frame

Author(s)

In Song Kim, Massachusetts Institute of Technology, <insong@mit.edu> and Kosuke Imai, Princeton University, <imai@harvard.edu>

References

- Imai, Kosuke and In Song Kim. (2018) “When Should We Use Unit Fixed Effects Regression Models for Causal Inference with Longitudinal Data?” *American Journal of Political Science*, Forthcoming.
- Stock, James and Mark Watson. (2008) “Heteroskedasticity-Robust Standard Errors for Fixed Effect Panel Data Regression” *Econometrica*, 76, 1.
- White, Halbert. (1980) ‘Using Least Squares to Approximate Unknown Regression Functions.’ *International Economic Review*, 21, 1, 149–170.

See Also

wfe for fitting weighted fixed effect models.

Examples

```

### NOTE: this example illustrates the use of wfe function with randomly
### generated panel data with arbitrary number of units and time.

## generate panel data with number of units = N, number of time = Time
## Not run:

N <- 10 # number of distinct units
Time <- 15 # number of distinct time

## generate treatment variable
treat <- matrix(rbinom(N*Time, size = 1, 0.25), ncol = N)
## make sure at least one observation is treated for each unit
while ((sum(apply(treat, 2, mean) == 0) > 0) | (sum(apply(treat, 2, mean) == 1) > 0) |
       (sum(apply(treat, 1, mean) == 0) > 0) | (sum(apply(treat, 1, mean) == 1) > 0)) {
  treat <- matrix(rbinom(N*Time, size = 1, 0.25), ncol = N)
}
treat.vec <- c(treat)

## unit fixed effects
alphai <- rnorm(N, mean = apply(treat, 2, mean))

## generate two random covariates
x1 <- matrix(rnorm(N*Time, 0.5,1), ncol=N)
x2 <- matrix(rbeta(N*Time, 5,1), ncol=N)
pscore <- matrix(runif(N*Time, 0,1), ncol=N)
x1.vec <- c(x1)
x2.vec <- c(x2)
pscore <- c(pscore)

## generate outcome variable
y <- matrix(NA, ncol = N, nrow = Time)
for (i in 1:N) {
  y[, i] <- alphai[i] + treat[, i] + x1[,i] + x2[,i] + rnorm(Time)
}
y.vec <- c(y)

## generate unit and time index
unit.index <- rep(1:N, each = Time)
time.index <- rep(1:Time, N)

Data.str <- as.data.frame(cbind(y.vec, treat.vec, unit.index, x1.vec, x2.vec))
colnames(Data.str) <- c("y", "tr", "strata.id", "x1", "x2")

Data.obs <- as.data.frame(cbind(y.vec, treat.vec, unit.index, time.index, x1.vec, x2.vec, pscore))
colnames(Data.obs) <- c("y", "tr", "unit", "time", "x1", "x2", "pscore")

#####
# Example 1: Stratified Randomized Experiments
#####

```

```

## run the weighted fixed effect regression with strata fixed effect.
## Note: the quantity of interest is Average Treatment Effect ("ate")
## and the standard errors allow heteroskedasticity and arbitrary
## autocorrelation.

### Average Treatment Effect
ps.ate <- pwfe(~ x1+x2, treat = "tr", outcome = "y", data = Data.str,
              unit.index = "strata.id", method = "unit", within.unit = TRUE,
              qoi = "ate", hetero.se=TRUE, auto.se=TRUE)
## summarize the results
summary(ps.ate)

### Average Treatment Effect for the Treated
ps.att <- pwfe(~ x1+x2, treat = "tr", outcome = "y", data = Data.str,
              unit.index = "strata.id", method = "unit", within.unit = TRUE,
              qoi = "att", hetero.se=TRUE, auto.se=TRUE)
## summarize the results
summary(ps.att)

#####
# Example 2: Observational Studies with Unit Fixed-effects
#####

## run the weighted fixed effect regression with unit fixed effect.
## Note: the quantity of interest is Average Treatment Effect ("ate")
## and the standard errors allow heteroskedasticity and arbitrary
## autocorrelation.

### Average Treatment Effect
ps.obs <- pwfe(~ x1+x2, treat = "tr", outcome = "y", data = Data.obs,
              unit.index = "unit", time.index = "time",
              method = "unit", within.unit = TRUE,
              qoi = "ate", hetero.se=TRUE, auto.se=TRUE)

## summarize the results
summary(ps.obs)

## extracting weights
summary(ps.obs)$Weights

### Average Treatment Effect with First-difference

ps.fd <- pwfe(~ x1+x2, treat = "tr", outcome = "y", data = Data.obs,
              unit.index = "unit", time.index = "time",
              method = "unit", within.unit = TRUE,
              qoi = "ate", estimator = "fd", hetero.se=TRUE, auto.se=TRUE)

## summarize the results
summary(ps.fd)

```

```
#####
# Example 3: Estimation with pre-specified propensity score
#####

### Average Treatment Effect with Pre-specified Propensity Scores

mod.ps <- pwfe(treat = "tr", outcome = "y", data = Data.obs, pscore = "pscore",
              unit.index = "unit", time.index = "time",
              method = "unit", within.unit = TRUE,
              qoi = "ate", hetero.se=TRUE, auto.se=TRUE)

## summarize the results
summary(mod.ps)

## End(Not run)
```

wfe

Fitting the Weighted Fixed Effects Model for Causal Inference

Description

wfe is used to fit weighted fixed effects model for causal inference. wfe also derives the regression weights for different causal quantity of interest.

Usage

```
wfe(formula, data, treat = "treat.name",
    unit.index, time.index = NULL, method = "unit",
    dyad1.index = NULL, dyad2.index = NULL,
    qoi = "ate", estimator = NULL, C.it = NULL,
    hetero.se = TRUE, auto.se = TRUE,
    dyad.se = FALSE,
    White = TRUE, White.alpha = 0.05,
    verbose = TRUE, unbiased.se = FALSE, unweighted = FALSE,
    store.wdm = FALSE, maxdev.did = NULL,
    tol = sqrt(.Machine$double.eps))
```

Arguments

formula	a symbolic description of the model to be fitted. The formula should not include dummies for fixed effects. The details of model specifications are given under ‘Details’.
data	data frame containing the variables in the model.
treat	a character string indicating the name of treatment variable used in the models. The treatment should be binary indicator (integer with 0 for the control group and 1 for the treatment group).

<code>unit.index</code>	a character string indicating the name of unit variable used in the models. The index of unit should be factor.
<code>time.index</code>	a character string indicating the name of time variable used in the models. The index of time should be factor.
<code>method</code>	method for weighted fixed effects regression, either <code>unit</code> for unit fixed effects; <code>time</code> for time fixed effects. The default is <code>unit</code> . For two-way weighted fixed effects regression models, set <code>method</code> to the default value <code>unit</code> .
<code>dyad1.index</code>	a character string indicating the variable name of first unit of a given dyad. The default is <code>NULL</code> . This is required to calculate robust standard errors with dyadic data.
<code>dyad2.index</code>	a character string indicating the variable name of second unit of a given dyad. The default is <code>NULL</code> . This is required to calculate robust standard errors with dyadic data.
<code>qoi</code>	one of <code>"ate"</code> or <code>"att"</code> . The default is <code>"ate"</code> . If set to <code>"att"</code> in implementing <code>"fd"</code> and <code>"did"</code> estimators, the comparison of the treated observation is restricted to the control observation from the previous time period but not with the control observation from the next time period.
<code>estimator</code>	an optional character string indicating the estimating method. One of <code>"fd"</code> , <code>"did"</code> , or <code>"Mdid"</code> . <code>"fd"</code> is for First-Difference Design. <code>"did"</code> is for multi-period Difference-in-Differences design. The default is <code>NULL</code> . Setting <code>estimator</code> to be <code>"Mdid"</code> implements the Difference-in-Differences design with Matching on the pretreatment outcome variables.
<code>C.it</code>	an optional non-negative numeric vector specifying relative weights for each unit of analysis. If not specified, the weights will be calculated based on the estimator and quantity of interest.
<code>hetero.se</code>	a logical value indicating whether heteroskedasticity across units is allowed in calculating standard errors. The default is <code>TRUE</code> .
<code>auto.se</code>	a logical value indicating whether arbitrary autocorrelation is allowed in calculating standard errors. The default is <code>TRUE</code> .
<code>dyad.se</code>	a logical value indicating whether correlations across dyads exist. The default is <code>FALSE</code> .
<code>White</code>	a logical value indicating whether White misspecification statistics should be calculated. The default is <code>TRUE</code> .
<code>White.alpha</code>	level of functional specification test. See White (1980) and Imai and Kim (2018). The default is <code>0.05</code> .
<code>verbose</code>	logical. If <code>TRUE</code> , helpful messages along with a progress report of the weight calculation are printed on the screen. The default is <code>TRUE</code> .
<code>unbiased.se</code>	logical. If <code>TRUE</code> , bias-adjusted heteroskedasticity-robust standard errors are used. See Stock and Watson (2008). Should be used only for balanced panel. The default is <code>FALSE</code> .
<code>unweighted</code>	logical. If <code>TRUE</code> , standard unweighted fixed effects model is estimated. The default is <code>FALSE</code> . Note: users do not need to specify <code>qoi</code> when <code>unweighted=TRUE</code> . For standard two-way fixed effects model (unit and time), set <code>estimator="did"</code> and <code>unweighted="TRUE"</code> .

store.wdm	logical. If TRUE, weighted demeaned dataframe will be stored. The default is FALSE.
maxdev.did	an optional positive numeric value specifying the maximum deviation in pre-treatment outcome when "Mdid" is implemented. The default is NULL, which implements nearest-neighbor matching.
tol	a relative tolerance to detect zero singular values for generalized inverse. The default is $\sqrt{.Machine\$double.eps}$

Details

To fit the weighted unit (time) fixed effects model, use the syntax for the formula, $y \sim x1 + x2$, where y is a dependent variable and $x1$ and $x2$ are unit (time) varying covariates.

wfe calculates weights based on different underlying causal quantity of interest: Average Treatment Effect ($qoi = "ate"$) or Average Treatment Effect for the Treated ($qoi = "att"$).

One can further set estimating methods: First-Difference ($estimator = "fd"$) or Difference-in-differences ($estimator = "did"$). For the two-way fixed effects model, set $estimator = "did"$

To specify different ex-ante weights for each unit of analysis, use non-negative weights $C.it$. For instance, using the survey weights for $C.it$ enables the estimation fo the average treatment effect for the target population.

An object of class "wfe" contains vectors of unique unit(time) names and unique unit(time) indices.

Value

wfe returns an object of class "wfe", a list that contains the components listed below.

The function summary (i.e., `summary.wfe`) can be used to obtain a table of the results.

coefficients	a named vector of coefficients
residuals	the residuals, that is respons minus fitted values
df	the degree of freedom
W	a dataframe containing unit and time indices along with the weights used for the observation. If $method=unit$, integer numbers corresponding to the order of input data will be used for generating time index.
Num.nonzero	Number of observations with non-zero weights
call	the matched call
causal	causal quantity of interest
estimator	the estimating method
units	a dataframe containing unit names used for W
times	a dataframe containing time names used for W
method	call of the method used
vcov	the variance covariance matrix
White.alpha	the alpha level for White specification test
White.pvalue	the p-value for White specification test
White.stat	the White statistics

X	the design matrix
Y	the response vector
X.wdm	the demeaned design matrix
Y.wdm	the demeaned response vector
mf	the model frame where the last column is the weights used for the analysis

Author(s)

In Song Kim, Massachusetts Institute of Technology, <insong@mit.edu> and Kosuke Imai, Princeton University, <imai@harvard.edu>

References

Imai, Kosuke and In Song Kim. (2018) “When Should We Use Unit Fixed Effects Regression Models for Causal Inference with Longitudinal Data?” *American Journal of Political Science*, Forthcoming.

Aronow, Peter M., Cyrus Samii, and Valentina A. Assenova (2015) “Cluster-robust Variance Estimation for Dyadic Data.” *Political Analysis* 23, no. 4, 564–577.

Stock, James and Mark Watson. (2008) “Heteroskedasticity-Robust Standard Errors for Fixed Effect Panel Data Regression” *Econometrica*, 76, 1.

White, Halbert. (1980) “Using Least Squares to Approximate Unknown Regression Functions.” *International Economic Review*, 21, 1, 149–170.

See Also

pwfe for fitting weighted fixed effects models with propensity score weighting

Examples

```
### NOTE: this example illustrates the use of wfe function with randomly
### generated panel data with arbitrary number of units and time.

## generate panel data with number of units = N, number of time = Time
N <- 10 # number of distinct units
Time <- 15 # number of distinct time

## treatment effect
beta <- 1

## generate treatment variable
treat <- matrix(rbinom(N*Time, size = 1, 0.25), ncol = N)
## make sure at least one observation is treated for each unit
while ((sum(apply(treat, 2, mean) == 0) > 0) | (sum(apply(treat, 2, mean) == 1) > 0) |
      (sum(apply(treat, 1, mean) == 0) > 0) | (sum(apply(treat, 1, mean) == 1) > 0)) {
  treat <- matrix(rbinom(N*Time, size = 1, 0.25), ncol = N)
}
treat.vec <- c(treat)

## unit fixed effects
```

```

alphai <- rnorm(N, mean = apply(treat, 2, mean))

## generate two random covariates
x1 <- matrix(rnorm(N*Time, 0.5,1), ncol=N)
x2 <- matrix(rbeta(N*Time, 5,1), ncol=N)
x1.vec <- c(x1)
x2.vec <- c(x2)
## generate outcome variable
y <- matrix(NA, ncol = N, nrow = Time)
for (i in 1:N) {
  y[, i] <- alphai[i] + treat[, i] + x1[,i] + x2[,i] + rnorm(Time)
}
y.vec <- c(y)

## generate unit and time index
unit.index <- rep(1:N, each = Time)
time.index <- rep(1:Time, N)

Data.str <- as.data.frame(cbind(y.vec, treat.vec, unit.index, x1.vec, x2.vec))
colnames(Data.str) <- c("y", "tr", "strata.id", "x1", "x2")

Data.obs <- as.data.frame(cbind(y.vec, treat.vec, unit.index, time.index, x1.vec, x2.vec))
colnames(Data.obs) <- c("y", "tr", "unit", "time", "x1", "x2")

#####
# Example 1: Stratified Randomized Experiments
#####

## run the weighted fixed effect regression with strata fixed effect.
## Note: the quantity of interest is Average Treatment Effect ("ate")
## and the standard errors allow heteroskedasticity and arbitrary
## autocorrelation.

### Average Treatment Effect
mod.ate <- wfe(y~ tr+x1+x2, data = Data.str, treat = "tr",
              unit.index = "strata.id", method = "unit",
              qoi = "ate", hetero.se=TRUE, auto.se=TRUE)
## summarize the results
summary(mod.ate)

### Average Treatment Effect for the Treated
mod.att <- wfe(y~ tr+x1+x2, data = Data.str, treat = "tr",
              unit.index = "strata.id", method = "unit",
              qoi = "att", hetero.se=TRUE, auto.se=TRUE)
## summarize the results
summary(mod.att)

#####
# Example 2: Observational Studies with Unit Fixed-effects
#####

```

```

## run the weighted fixed effect regression with unit fixed effect.
## Note: the quantity of interest is Average Treatment Effect ("ate")
## and the standard errors allow heteroskedasticity and arbitrary
## autocorrelation.

mod.obs <- wfe(y~ tr+x1+x2, data = Data.obs, treat = "tr",
              unit.index = "unit", time.index = "time", method = "unit",
              qoi = "ate", hetero.se=TRUE, auto.se=TRUE,
              White = TRUE, White.alpha = 0.05)

## summarize the results
summary(mod.obs)

## extracting weights
summary(mod.obs)$W

## Not run:
#####
# Example 3: Observational Studies with differences-in-differences
#####

## run difference-in-differences estimator.
## Note: the quantity of interest is Average Treatment Effect ("ate")
## and the standard errors allow heteroskedasticity and arbitrary
## autocorrelation.

mod.did <- wfe(y~ tr+x1+x2, data = Data.obs, treat = "tr",
              unit.index = "unit", time.index = "time", method = "unit",
              qoi = "ate", estimator = "did", hetero.se=TRUE, auto.se=TRUE,
              White = TRUE, White.alpha = 0.05, verbose = TRUE)

## summarize the results
summary(mod.did)

## extracting weights
summary(mod.did)$W

#####
# Example 4: DID with Matching on Pre-treatment Outcomes
#####

## implements matching on pre-treatment outcomes where the maximum
## deviation is specified as 0.5

mod.Mdid <- wfe(y~ tr+x1+x2, data = Data.obs, treat = "tr",
               unit.index = "unit", time.index = "time", method = "unit",
               qoi = "ate", estimator = "Mdid", hetero.se=TRUE, auto.se=TRUE,
               White = TRUE, White.alpha = 0.05, maxdev.did = 0.5, verbose = TRUE)

## summarize the results
summary(mod.Mdid)

```

```
## Note: setting the maximum deviation to infinity (or any value
## bigger than the maximum pair-wise difference in the outcome) will
## return the same result as Example 3.

dev <- 1000+max(Data.obs$y)-min(Data.obs$y)
mod.did2 <- wfe(y~ tr+x1+x2, data = Data.obs, treat = "tr",
               unit.index = "unit", time.index = "time", method = "unit",
               qoi = "ate", estimator = "Mdid", hetero.se=TRUE, auto.se=TRUE,
               White = TRUE, White.alpha = 0.05, maxdev.did = dev, verbose = TRUE)

## summarize the results
summary(mod.did2)
mod.did2$coef[1] == mod.did$coef[1]

## End(Not run)
```

Index

*** regression**

pwfe, 2

wfe, 7

pwfe, 2

wfe, 7